ANNUAL INDEX

References to Technical Papers and Technical Articles Published in Journal of Petroleum Technology and Technical Papers Published in Society of Petroleum Engineers Journal during 1962

A

ABC TRANSACTIONS: Internal Revenue Service take a new look at, (Tech. Art.) JPT Aug., 825

ABSTRACT SERVICES: as help in preventing technical obsolescence in petroleum engineers and scientists, (Tech. Art.) JPT Sept., 931

ACIDIZING: with swellable polymers, JPT Sept., 1041

ACOUSTIC VELOCITY LOGGING: effect of thermal stresses around a wellbore, SPEJ Dec., 303

preliminary study of factors influencing cement bond logs, (Tech. Art.) JPT April, 369

ADDITIVES: fluid loss: acidizing with swellable polymers, JPT Sept., 1041

field results of cementing operations using slurries containing, (Tech. Art.) JPT May, 477

ADIVARAHAN, P., et al: *Heat Transfer in Porous Rocks Through Which Single-Phase Fluids Are Flowing*, SPEJ Sept., 290

ADSORBENTS: solid use in design of hydrocarbon recovery units, JPT Feb., 179

AGAN, J. B. and FERNANDEZ, R. J.: *Performance of a Miscible-Slug Process in a Highly Stratified Reservoir*, JPT Jan., 81

AIR REQUIREMENTS: factor affecting during in situ combustion, JPT Oct., 1154; discussion, 1163

ALEXANDER, J. D., et al: *Factors Affecting Fuel Availability and Composition During In Situ Combustion*, JPT Oct., 1154; discussion, 1163

ALFORD, J. B.: *Formation of 10 New Technical Committees —Major Step for SPE*, (Tech. Art.) JPT Dec., 1345

ALLEN, E. E., et al: *Effect of Off-Pattern Wells on the Performance of A Five-Spot Water Flood*, JPT Feb., 173

ALLEN, F. H.: *More Creative Thinking Required Of Future Petroleum Engineers*, (Tech. Art.) JPT May, 458

ALTHOUSE, W. S., et al: *Helical Buckling of Tubing Sealed in Packers*, JPT June, 655

AMERICAN INSTITUTE OF MINING, METALLURGICAL AND PETROLEUM ENGINEERS: formation of ten new technical committees is major step for SPE, (Tech. Art.) JPT Dec., 1345

ANALOGS: fluid-flow: three component analysis by dispersivity, SPEJ Sept., 194

ANDERSON, T. O., et al: *A Preliminary Study of Factors Influencing Cement Bond Logs*, (Tech. Art.) JPT April., 369

ANISOTROPIC RESERVOIRS: estimation of anisotropy from production data, JPT Aug., 909

reservoir limits test on gas wells, (Tech. Art.) JPT June, 613

theoretical analysis of pressure phenomena associated with wireline formation tester, JPT Aug., 899

ANNIS, M. R. and MONAGHAN, P. H.: *Differential Pressure Sticking—Laboratory Studies of Friction Between Steel and Mud Filter Cake*, JPT May, 537; discussion, 542

APPL, F. C. and GATLEY, W. S.: *Rate-of-Loading Effects in Chisel Impact*, SPEJ June, 105

AQUIFERS: evaluation of underground gas-storage conditions through investigations of ground-water hydrology, JPT May, 555

mathematical model of water movement about bottom-water-drive reservoirs, SPEJ March, 44; discussion, Dec., 367

nonhomogeneous: transient response of, SPEJ March, 33

ARAB-D MEMBER: *See* Saudi Arabia

AREAL PERMEABILITY DISTRIBUTION: conditions for determining by calculation, SPEJ Sept., 223

ARNOLD, M. D., et al: *The Effect of Fluid Properties and Stage of Depletion on Waterflood Oil Recovery*, JPT Oct., 1165

Estimation of Reservoir Anisotropy from Production Data, JPT Aug., 909

ARMSTRONG, F., et al: *Two-Dimensional Study of Rock Breakage in Drag-Bit Drilling at Atmospheric Pressure*, JPT Jan., 93

ARONOFSKY, J. S.: *Linear Programming—A Problem-Solving Tool for Petroleum Industry Management*, (Tech. Art.) JPT July, 729

ARPS, J. J.: *Discussion on What Are Petroleum Reserves?*, (Tech. Art.) JPT July, 724

ATKINS, E. R., Jr.: *Discussion on A Field Streaming-Potential Experiment*, JPT March, 314

AUTOMATION: centralized production control and data gathering in the Virginia Hills field, (Tech. Art.) JPT Jan., 22

data readout cuts equipment and labor costs in Oklahoma waterflood project, (Tech. Art.) JPT May, 473

digital data processing of oilfield production data, (Tech. Art.) JPT Nov., 1191

lease: stepwise approach to, (Tech. Art.) JPT Nov., 1188

oil producing operations: trends in LACT equipment design and application, (Tech. Art.) JPT Nov., 1183

reduces operating costs in 12,000-acre field, (Tech. Art.) JPT April, 377

B

BACK-PRESSURE CURVE: effect of turbulence on flow of natural gas through porous media, JPT July, 799

BACTERIA: anaerobic: in cathodic reaction, (Tech. Art.) JPT Sept., 967

microbiological corrosion, what causes it and how it can be controlled, (Tech. Art.) JPT Oct., 1074

BAHRAIN: Bahrain field: twenty-three years of gas injection into a highly under saturated crude reservoir, (Tech. Art.) JPT April, 361

BAIL, P. T., et al: *A Verification of Waterflood Scaling in Heterogeneous Communicating Flow Models*, SPEJ March, 9

BAKER, P. E.: *Temperature Profiles in Underground Combustion*, SPEJ March, 21

BARFIELD, E. C. and GRINSTEAD, W. C., JR.: *Late Developments in the Seeligson Zone 20B-07 Enriched-Gas-Drive Projects*, (Tech. Art.) JPT March, 261

BARHAM, R. H., et al: *Matching the Performance of Saudi Arabian Oil Fields With an Electrical Model*, JPT Nov., 1275

BARNES, A. L.: *The Use of a Viscous Slug To Improve Waterflood Efficiency In a Reservoir Partially Invaded by Bottom Water*, JPT Oct., 1147

BARRIERS: horizontal: for controlling water coning, JPT July, 783

BARRON, A. N., et al: *The Effect of Flow on Acid Reactivity in a Carbonate Fracture*, JPT April, 409

BARTLESVILLE SAND: *See* Oklahoma and Kansas

BARTLETT, W. R., et al: *Matching the Performance of Saudi Arabian Oil Fields With an Electrical Model*, JPT Nov., 1275

BASIC SEDIMENT: principles and practices of measurement, (Tech. Art.) JPT Nov., 1207

BAUMGARTNER, A. W.: *Microbiological Corrosion — What Causes It and How It Can Be Controlled*, (Tech. Art.) JPT Oct., 1074

BAYESIAN STATISTICS: new approach to statistical decision-making, (Tech. Art.) JPT June, 603

BEAVER, K. W., et al: *Underground Combustion in the Shannon Pool, Wyoming*, JPT Feb., 197

BELL, W. T., et al: *Field Tests Indicate New Perforating Devices Improve Efficiency in Casing Completion Operations*, (Tech. Art.) JPT Oct., 1069

BENNETT, R. G.: *The Investment Outlook for Oil Stocks—A Panel Discussion: Investment Qualities of Oil Stocks*, (Tech. Art.) JPT Dec., 1303

BERRY, V. J., JR. and PENDERGRASS, J. D.: *Pressure Transient Performance of a Multilayered Reservoir with Crossflow*, SPEJ Dec., 347

BICKEL, H. J. and BURDINE, F. B.: *A Unique Approach to Estimating Future Energy Requirements*, (Tech. Art.) JPT Oct., 1097

BIG PINEY MESAVERDE RESERVOIR: *See* Wyoming

BINKLEY, G. W.: *SPE to Adopt Indexing Plan in 1963 Publications*, (Tech. Art.) JPT, Dec., 1359

BITS: bottom scavenging as major factor governing penetration rates at depth, JPT Feb., 187
chisel-shaped: interpretation of transient strain pulses recorded in rock under impact of, SPEJ Sept., 283
drag: two-dimensional study of rock breakage in drilling at atmospheric pressure, JPT Jan., 93
drill: axial fractures produced by explosively induced shocks in plexiglas rods, SPEJ Sept., 207
fractures produced by low-velocity impact in plexiglas rods, SPEJ Sept., 203
rate-of-loading effects in chisel impact, SPEJ June, 105
the "perfect-cleaning" theory of rotary drilling, JPT Nov., 1270

BLACKWELL, R. J.: *Laboratory Studies of Microscopic Dispersion Phenomena*, SPEJ March, 1

BLAKEMAN, E. R.: *A Method of Analyzing Electrical Logs Recorded on a Logarithmic Scale*, (Tech. Art.) JPT Aug., 844

BOBEK, J. E., et al: *A Verification of Waterflood Scaling in Heterogeneous Communicating Flow Models*, SPEJ March, 9

BOREHOLES: stresses due to internal pressure and unequal principal geostatic stresses, SPEJ June, 145

BOTTOM-WATER DRIVES: mathematical model of water movement about, SPEJ March, 44; discussion, Dec., 367
partially invaded reservoir: use of viscous slug to improve waterflood efficiency, JPT Oct., 1147

BOUNDED RESERVOIRS: approximate method for transient radial flow, SPEJ Sept., 225

BRADFORD SAND: *See* Pennsylvania

BRAUER, E. B., et al: *Interfacial Tension of the Methane-Normal Decane System*, SPEJ Sept., 257

BRINEGAR, C. S.: *National Fuels Policy—the Controversy and the Data*, (Tech. Art.) JPT Sept., 942

BRINKMAN, F. H., et al: *An Analysis for Predicting the Performance of Cone-Shaped Reservoirs Receiving Gas or Water Injection*, JPT Aug., 894

BROWN, K. E. and JESSEN, F. W.: *Evaluation of Valve Port Size, Surface Chokes and Fluid Fall-Back in Intermittent Gas-Lift Installations*, JPT March, 315

BULLION, J. W.: *The Internal Revenue Service Takes a New Look at the ABC Transaction*, (Tech. Art.) JPT Aug., 825

BURDINE, F. B. and BICKEL, H. J.: *A Unique Approach to Estimating Future Energy Requirements*, (Tech. Art.) JPT Oct., 1097

BURNS, R. J.: *The Investment Outlook for Oil Stocks—A Panel Discussion: Effects of Government Policies on Oil Earnings*, (Tech. Art.) JPT Dec., 1305

BYERS, W. M., et al: *Streaming Potential of Muds Containing Starch*, JPT March, 327

C

CADDO CONGLOMERATE UNIT: *See* Texas, Rasmug field

CALHOUN, J. C., JR.: *Some Perspectives of Petroleum Engineering*, (Tech. Art.) JPT Feb., 129

CALIFORNIA: Coalingua Nose field: scab cementing—an economical workover technique for effective production control, (Tech. Art.) JPT April, 349
field performance of double-wall multicell liner, (Tech. Art.) JPT May, 483
Paloma field: performance predictions of a miscible-slug process in a highly stratified reservoir, JPT Jan., 81
San Miguelito field: effect of overburden pressure on flow capacity in a deep oil reservoir, (Tech. Art.) JPT Sept., 962

CAMPBELL, J. M.: *Optimization of Capital Expenditures In Petroleum Investments*, (Tech. Art.) JPT July, 708
Petroleum Engineering—Where Does It Go from Here?, (Tech. Art.) JPT Jan., 29

CANADA: Virginia Hills field: centralized automatic production control and data gathering, (Tech. Art.) JPT Jan., 22

CARBON DIOXIDE: critical temperatures and critical pressures of binary mixtures with aliphatic hydrocarbons, SPEJ Sept., 197

CARPENTER, C. W., JR., et al: *A Verification of Waterflood Scaling in Heterogeneous Communicating Flow Models*, SPEJ March, 9

CARPENTER, N. F. and ERNST, E. A.: *Acidizing with Swellable Polymers*, JPT Sept., 1041

CARTER, L. G., et al: *A Preliminary Study of Factors Influencing Cement Bond Logs*, (Tech. Art.) JPT April, 369

CARTER, R. D.: *Solutions of Unsteady-State Radial Gas Flow*, JPT May, 549

CASING: burst resistance of pipe cemented into the earth, JPT Sept., 1033
in completion operations: field tests indicate new perforating devices improve efficiency, (Tech. Art.) JPT Oct., 1069
new electromagnetic inspection device permits improved corrosion evaluation, (Tech. Art.) JPT March, 257
stressed steel liner yields stronger repairs, (Tech. Art.) JPT Dec., 1337

CATHODIC PROTECTION: review from an electrochemical point-of-view, (Tech. Art.) JPT Sept., 967

CEMENT: burst resistance of pipe cemented into the earth, JPT Sept., 1033
compositions for thermal recovery wells, (Tech. Art.) JPT Feb., 139
field results of operations using slurries containing fluid-loss additive, (Tech. Art.) JPT May, 477
oilwell: gas and water permeability data, (Tech. Art.) JPT Aug., 851
operations: rheological design of, JPT March, 323
preliminary study of factors influencing cement bond logs, (Tech. Art.) JPT April, 369
scab: an economical workover technique for effective production control, (Tech. Art.) JPT April, 349
tests for evaluating as horizontal barrier to control water coning, JPT July, 783

CHURCHILL, S. W.: *Heat Transfer Rates and Temperature Fields for Underground Storage Tanks*, SPEJ March, 28

CLAPHAM, E. E., et al: *Material-Balance Analysis of a Water-Drive Reservoir with An Unusual Development History*, (Tech. Art.) JPT Jan., 37

CLARK, J. W., et al: *An Economical Method of Rapid Reservoir Testing*, (Tech. Art.) JPT Sept., 957

CLARK, N. J.: *Adjusting Oil Sample Data for Reservoir Studies*, (Tech. Art.) JPT Feb., 143
Fundamentals of Reservoir Fluids, (Tech. Art.) JPT Jan., 11
Practical Application of Oil and Gas Equilibrium Calculations, (Tech. Art.) JPT May, 491
Sampling and Testing Gas Reservoir Samples, (Tech. Art.) JPT March, 266
Sampling and Testing Oil Reservoir Samples, (Tech. Art.) JPT Jan., 12
Theoretical Aspects of Oil and Gas Equilibrium Calculations, (Tech. Art.) JPT April, 373

CLAY: minerals in aqueous suspension, effect of temperature, SPEJ Sept., 216

CLEGG, M. W. and ROWAN, G: *An Approximate Method for Transient Radial Flow*, SPEJ Sept., 225

CLELAND, N. A.: *Centralized Automatic Production Control and Data Gathering in the Virginia Hills Field*, (Tech. Art.) JPT Jan., 22

COALINGA NOSE FIELD: *See* California

COATS, K. H.: *A Mathematical Model for Water Movement about Bottom-Water-Drive Reservoirs*, SPEJ March, 44; discussion, Dec., 367

COATS, K. H., et al: *The Effect of Turbulence on Flow of Natural Gas Through Porous Reservoirs*, JPT July, 799

COATS, K. H. and WARREN, J. E.: *Discussion on A Mathematical Model for Water Movement about Bottom-Water-Drive Reservoirs*, SPEJ Dec., 367

COMLOG: a comprehensive computer system for log interpretation, (Tech. Art.) JPT Oct., 1109

COMER, A. G. and WOODS, E. G.: *Saturation Distribution and Injection Pressure for a Radial Gas-Storage Reservoir*, JPT Dec., 1389

COMPLETION PRACTICE: *See also* Well Completion
of superhigh-pressure gas reservoirs in Gulf Coast area, (Tech. Art.) JPT Sept., 935

COMPUTER: analog: matching the performance of Saudi Arabian oil fields with, JPT Nov., 1275
digital: prediction of water drive of oil and gas mixtures through irregularly bounded porous media, three-phase flow, JPT Sept., 1048
digital: transient response of nonhomogeneous aquifers, SPEJ March, 33
IBM 650 and 709: program for calculation of transient flow of gas in long pipelines, SPEJ Dec., 297
IBM 704: COMLOG, a comprehensive system for log interpretation, (Tech. Art.) JPT Oct., 1109
effect of turbulence on flow of natural gas through porous reservoirs, JPT July, 799
material-balance analysis of water-drive reservoir with unusual development history, (Tech. Art.) JPT Jan., 37
IBM 704 and 7090: method to calculate two-phase flow in any irregularly bounded porous medium, JPT June, 679
processing of dipmeter logs digitally recorded on magnetic tapes, JPT July, 771
IBM 7090: use in multilayer miscible displacement technique for predicting reservoir performance, JPT Jan., 73

COOK, R. E.: *Analysis of Gravity Segregation Performance During Natural Depletion*, SPEJ Sept., 261

COOK, R. J. and DARDEN, F.: *Successful Pilot Predicts Bright Future for Loco Hills Water Flood, New Mexico*, (Tech. Art.) JPT Nov., 1223

CORE ANALYSIS: equipment for: liquid freon permeameter, SPEJ March, 18
in reservoir mechanics, (Tech. Art.) JPT June, 583
study of data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114

CORRELATIONS: gas-oil ratio history in a solution-gas-drive reservoir, (Tech. Art.) JPT June, 595

CORROSION: casing: new electromagnetic inspection device permits improved evaluation, (Tech. Art.) JPT March, 257
microbiological: what causes it and how it can be controlled, (Tech. Art.) JPT Oct., 1074
review from an electrochemical point-of-view, (Tech. Art.) JPT Sept., 967

COSTS: equipment and labor: cut by automatic data readout in Oklahoma waterflood project, (Tech. Art.) JPT May, 473

COTTER, W. H.: *Twenty-Three Years of Gas Injection into A Highly Undersaturated Crude Reservoir*, (Tech. Art.) JPT April, 361

COUFLEAU, M. A., et al: *Automatic Computation of Dipmeter Logs Digitally Recorded on Magnetic Tapes*, JPT July, 771

CRAWFORD, P. B., et al: *The Effect of Fluid Properties and Stage of Depletion on Waterflood Oil Recovery*, JPT Oct., 1165
Estimation of Reservoir Anisotropy from Production Data, JPT Aug., 909

CRITICAL PROPERTIES: binary mixtures of fixed gases and aliphatic hydrocarbons, SPEJ Sept., 197

CROSSFLOW: bounded stratified porous systems, a theoretical study of pressure distribution and fluid flux, SPEJ March, 68
performance of layered reservoirs, single-compressible-fluid case, SPEJ March, 53
practical aspects of interlayering, (Tech. Art.) JPT June, 589
pressure transient performance of a multilayered reservoir, SPEJ Dec., 347

CRUDE OIL: BS&W measurements, principles and practices, (Tech. Art.) JPT Nov., 1207
case for a less-restrictive import policy, (Tech. Art.) JPT July, 699
case for a more-restrictive import policy, (Tech. Art.) JPT July, 703

CSASZAR, A. K. and HOLM, L. W.: *Oil Recovery by Solvents Mutually Soluble in Oil and Water*, SPEJ June, 129; discussion, 142

D

DARDEN, F. and COOK, *R. J.*: *Successful Pilot Predicts Bright Future for Loco Hills Water Flood, New Mexico*, (Tech. Art.) JPT Nov., 1223

DATA: gathering: in stepwise approach to lease automation, (Tech. Art.) JPT Nov., 1188
processing by digital techniques, of oilfield production data, (Tech. Art.) JPT Nov., 1191
processing reduces operating costs in 12,000-acre field, (Tech. Art.) JPT April, 377

DEAN, M. R., et al: *Three-Component Analysis by Dispersivity in Fluid-Flow Analogs*, SPEJ Sept., 194

DEPLETION PERFORMANCE: analysis of gravity segregation performance during, SPEJ Sept., 261
stage of: effect on waterflood oil recovery, JPT Oct., 1165

DENSITY: reduced: behavior of ethane in gaseous and liquid states, SPEJ June, 83

DENVER BASIN: field streaming-potential experiment, JPT March, 305; discussions, 312 and 314

DESIGN: hydrocarbon recovery units using solid adsorbents, JPT Feb., 179
rheological: of cementing operations, JPT March, 323
trends in LACT equipment, (Tech. Art.) JPT Nov., 1183

DEW, J. N., et al: *Factors Affecting Fuel Availability and Composition During In Situ Combustion*, JPT Oct., 1154; discussion, 1163

DIELECTRIC CONSTANT: use in BS&W measurement, (Tech. Art.) JPT Nov., 1207

DIFFERENTIAL PRESSURE STICKING: laboratory studies of friction between steel and mud filter cake, JPT May, 537; discussion, 542

DIFFERENTIATION METHOD: in rheology: characteristic derivatives of ideal models in Poiseuille flow, SPEJ Dec., 309
Poiseuille-type flow, SPEJ Sept., 211

DIFFERENTIATION-INTEGRATION METHOD: dual: characterization of non-Newtonian systems, SPEJ June, 111

DIFFUSIVITY: lateral: effect on miscible displacement in horizontal reservoirs, SPEJ Dec., 317

DIPMETER LOGS: digitally recorded on magnetic tapes, automatic computation of, JPT July, 771

DISCOUNTED CASH FLOW: optimization of capital expenditures in petroleum investments, (Tech. Art.) JPT July, 708

DISPERSION PHENOMENA: microscopic: laboratory studies of, SPEJ March, 1

DISPLACEMENT MECHANISM: *See also* Miscible Displacement
downstructure: water flooding in presence of gas cap, JPT Dec., 1383
evaluation of water-oil displacement efficiency using subsurface logs, (Tech. Art.) JPT Jan., 17
gas or water: analysis for predicting performance of cone-shaped reservoirs receiving gas or water injection, JPT Aug., 894
imbibition oil recovery from fractured, water-drive reservoir, SPEJ June, 177
motion of an interface between two fluids in slightly dipping porous medium, SPEJ Sept., 275
nonlinear theory for frontal stability and viscous fingering in porous media, SPEJ June, 165
of oil by light hydrocarbons, miscibility relationships, SPEJ Dec., 340
oil recovery by solvents mutually soluble in oil and water, SPEJ June, 129; discussion, 142
transient interfaces during immiscible liquid-liquid displacement in porous media, SPEJ June, 156
use of viscous slug to improve waterflood efficiency in reservoir partially invaded by bottom water, JPT Oct., 1147

DISSOLVED-GAS DRIVE: *See* Solution-Gas Drive

DOBRYNIN, V. M.: *Effect of Overburden Pressure on Some Properties of Sandstone*, SPEJ Dec., 360

DOEPEL, G. W. and SIBLEY, W. P.: *Miscible Displacement—A Multilayer Technique for Predicting Reservoir Performance*, JPT Jan., 73

DONOVAN, R. W., et al: *Evaluation of Underground Gas-Storage Conditions In Aquifers Through Investigations of Groundwater Hydrology*, JPT May, 555

DOUGHERTY, E. L., et al: *Calculated Temperature Behavior of Hot-Water Injection Wells*, JPT April, 436

DOWNIE, J., et al: *Gravity Segregation of Miscible Fluids in Linear Models*, SPEJ June, 95

DOZIER, H. S. and MORGAN, R. A.: *A Stepwise Approach to Lease Automation*, (Tech. Art.) JPT Nov., 1188

DRAWDOWN TESTS: gas well behavior: unsteady-state radial flow solutions, JPT May, 549

DRILLING: axial fractures produced by explosively induced shocks in plexiglas rods simulating drill bits, SPEJ Sept., 207
- bottom scavenging is a major factor governing penetration rates at depth, JPT Feb., 187
- conditions in: a time for action; importance of the petroleum engineer, (Tech. Art.) JPT April, 345
- drag bit: two-dimensional study of rock breakage at atmospheric pressure, JPT Jan., 93
- economical method of rapid reservoir testing, (Tech. Art.) JPT Sept., 957
- fractures produced by low-velocity impact in plexiglas rods simulating drill bits, SPEJ Sept., 203
- offshore: ultimate resistance against a rigid cylinder moving laterally in a cohesionless soil, SPEJ Dec., 355
- rate-of-loading effects in chisel impact, SPEJ June, 105
- rotary: the "perfect-cleaning" theory, JPT Nov., 1270
- stress around wellbore due to internal pressure and unequal principal geostatic stresses, SPEJ June, 145
- super high-pressure gas reservoirs in Gulf Coast area, (Tech. Art.) JPT Sept., 935
- unique marine craft moves rigs with speed and economy at Lake Maracaibo, (Tech. Art.) JPT March, 228

DRILLING FLUIDS: calculation of formation temperature disturbances caused by, JPT April, 416
- differential pressure sticking, laboratory studies of friction between steel and mud filter cake, JPT May, 537; discussion, 542
- effect of temperature on clay minerals in aqueous suspension, SPEJ Sept., 216
- streaming potential of muds containing starch, JPT March, 329

DRILL-STEM TESTS: recent developments in interpretation and application, (Tech. Art.) JPT Nov., 1213; discussion, 1222

DRURY, J. E., et al: *Streaming Potential of Muds Containing Starch*, JPT March, 329

E

EARLOUGHER, R. C., et al: *A Study of Core-Analyses Data from Flooded-Out Oil Sands*, (Tech. Art.) JPT Feb., 114

EARLOUGHER, R. C. and PENN, M. B.: *Is Engineering Training Being Influenced Adversely by Professional Educators?* (Tech. Art.) JPT March, 242

EAST TEXAS FIELD: *See* Texas

ECONOMICS: Bayesian analysis, a new approach to statistical decision-making, (Tech. Art.) JPT June, 603
- factors beyond the engineering evaluation that affect fair-market values, (Tech. Art.) JPT Dec., 1307
- feasibility of equipment leasing in the oil industry, an analysis, (Tech. Art.) JPT April, 355
- investment outlook for oil stocks—a panel discussion, (Tech. Art.) JPT Dec., 1299
- operating saving in oil producing operations, trends in LACT equipment design and application, (Tech. Art.) Nov., 1183
- optimization of capital expenditures in petroleum investments, (Tech. Art.) JPT July, 708
- philosophy behind trading oil properties, (Tech. Art.) JPT July, 727
- production model in a petroleum industry management game, (Tech. Art.) JPT Sept., 939

EDWARDS, J. M. and HOLTER, E. L.: *Applications of a Subsurface Solid-State Isotope Injector to Nuclear-Tracer Survey Methods*, (Tech. Art.) JPT Feb., 121

EDWARDSON, M. J., et al: *Calculation of Formation Temperature Disturbances Caused by Mud Circulation*, JPT April, 416

EGGLESTON, W. S.: *What Are Petroleum Reserves?*, (Tech. Art.) JPT July, 719; discussions, 723 and 724

EL-AOUAR, M. A.: *The Effect of Temperature on Clay Minerals In Aqueous Suspension*, SPEJ Sept., 216

ELLIS, H. E., JR. and ROBERTS, T. G.: *Correlations of Gas-Oil Ratio History in a Solution-Gas-Drive Reservoir*, (Tech. Art.) JPT June, 595

EMERY, L. W.: *Results From A Multi-Well Thermal-Recovery Test in Southeastern Kansas*, JPT June, 671

ENERGY: consumption of: a unique approach to estimating future requirements, (Tech. Art.) JPT Oct., 1097
- fuel cell as source, research probes vast new market for petroleum products, (Tech. Art.) JPT Feb., 125
- National Fuels Policy—the controversy and the data, (Tech. Art.) JPT Sept., 942

ENGINEERING: the petroleum profession, a reality or a contradiction?, (Tech. Art.) JPT Nov., 1195

ENGINEERING EDUCATION: is engineering training being influenced adversely by professional educators? (Tech. Art.) JPT March, 242
- petroleum engineering—where does it go from here? (Tech. Art.) JPT Jan., 29
- role of small petroleum engineering department, (Tech. Art.) JPT Sept., 1008
- role of university in research and research training, (Tech. Art.) JPT Aug., 855
- the great engineering implosion, (Tech. Art.) JPT Dec., 1311
- will today's petroleum engineering graduate meet tomorrow's challenge?—a panel discussion, (Tech. Art.) JPT May, 458

ENGINEERS: petroleum industry—an attractive career potential, (Tech. Art.) JPT May, 455

ENRICHED-GAS DRIVE: late developments in the Seeligson Zone 20B-07 project, (Tech. Art.) JPT March, 261

EQUILIBRIUM RATIOS: practical application of oil and gas equilibrium calculations, (Tech. Art.) JPT May, 491
- theoretical aspects of oil and gas equilibrium calculations, (Tech. Art.) JPT April, 373

EQUIPMENT: feasibility of leasing in the oil industry, an economic analysis, (Tech. Art.) JPT April, 355
- laboratory: liquid-freon permeameter, SPEJ March, 18
- producing: automatic data readout cuts costs in Oklahoma waterflood project, (Tech. Art.) JPT May, 473
- automation and data processing reduce operating costs in 12,000-acre field, (Tech. Art.) JPT April, 377
- field performance of double-wall multicell liner, (Tech. Art.) JPT May, 483
- producing: new tool permits simultaneous production of two reservoirs through same flow string, (Tech. Art.) JPT Oct., 1079
- trends in LACT equipment design and application, (Tech. Art.) JPT Nov., 1183

ERNST, E. A. and CARPENTER, N. F.: *Acidizing with Swellable Polymers*, JPT Sept., 1041

ETHANE: gaseous and liquid states: PVT behavior of, SPEJ June, 83

EVALUATION: casing corrosion: new electromagnetic inspection device, (Tech. Art.) JPT March, 257
- engineering: factors beyond that affect fair-market value, (Tech. Art.) JPT Dec., 1307
- modern log analysis, (Tech. Art.) JPT Dec., 1327
- underground gas-storage conditions in aquifers through investigations of ground-water hydrology, JPT May, 555
- valve port size, surface chokes and fluid fall-back in intermittent gas-lift installation, JPT March, 315
- water-oil displacement efficiency using subsurface logs, (Tech. Art.) Jan., 17

F

FAIR-MARKET VALUE: factors beyond the engineering evaluation that affect, (Tech. Art.) JPT Dec., 1307

FANCHER, G. H.: *The Role of the University in Research and Research Training*, (Tech. Art.) JPT Aug., 855

FAYERS, F. J. and SHELDON, J. W.: *The Motion of an Interface Between Two Fluids in a Slightly Dipping Porous Medium*, SPEJ Sept., 275

FELSENTHAL, M., et al: *Effect of Overburden Pressure on Flow Capacity in a Deep Oil Reservoir*, (Tech. Art.) JPT Sept., 962

FERNANDEZ, R. J. and AGAN, J. B.: *Performance of a Miscible-Slug Process in a Highly Stratified Reservoir*, JPT Jan., 81

FERRELL, H. H., et al: *Effect of Overburden Pressure on Flow Capacity in a Deep Oil Reservoir*, (Tech. Art.) JPT Sept., 962

FIELD CASE HISTORY: *See also* Field Tests

- Bahrain field, Bahrain: twenty-three years of gas injection into a highly undersaturated crude reservoir, (Tech. Art.) JPT April, 361
- Barton County, Kansas and Kingfisher County, Oklahoma: acidizing with swellable polymers, JPT Sept., 1041
- Big Piney Mersaverde reservoir, Wyoming: fluid distribution and reservoir characteristics, (Tech. Art.) JPT June, 608
- Coalinga Nose field, California: scab cementing—an economical workover technique for effective production control (Tech. Art.) JPT April, 349
- East Texas field: 30 years of proration, (Tech. Art.) JPT June, 577
- KMA field, Texas: pilot and full scale water flooding of Fassett and Tuttle area, (Tech. Art.) JPT Aug., 839
- Loco Hills field, New Mexico: successful pilot predicts bright future for water flood, (Tech. Art.) JPT Nov., 1223
- Oveja field, Venezuela: adverse effects of water injection into thick sand reservoirs containing thin, highly permeable lenses, (Tech. Art.) JPT March, 253
- Rusmag field, Texas: contained injection pattern and high pumping rates solve permeability problems in Caddo conglomerate water flood, (Tech. Art.) JPT Oct., 1104
- Seeligson Zone 20B-07 field, Texas: late developments in the enriched-gas-drive project, (Tech. Art.) JPT March, 261
- Texas Panhandle field: early results show wide range of recoveries in two water floods, (Tech. Art.) JPT Dec., 1323
- Virginia Hills field, Canada: centralized automatic production control and data gathering, (Tech. Art.) JPT Jan., 22

FIELD TESTS: Bartlesville sand, Kansas and Oklahoma: study of core-analyses data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114

- Bradford sand, Pennsylvania: study of core-analyses data from flooded-out oil sands (Tech. Art.) JPT Feb., 114
- Denver basin: field streaming-potential experiment, JPT March, 305; discussions, 312 and 314
- double-wall multicell liner, (Tech. Art.) JPT May, 483
- drill-stem: recent developments in interpretation and application of data, (Tech. Art.) JPT Nov., 1213; discussion, 1222
- helical buckling of tubing sealed in packers, JPT June, 655
- Howard Glasscock field, Texas: results of test to determine type and orientation of hydraulically induced formation fracture, (Tech. Art.) JPT May, 463
- indicate new perforating devices improve efficiency in casing completion operations, (Tech. Art.) JPT Oct., 1069
- Mississippi, New Mexico, Oklahoma and Texas: results of cementing operations using slurries containing fluid-loss additive for cement, (Tech. Art.) JPT May, 477
- North Markham-North Bay City field, Texas: evaluation of valve port size, surface chokes and fluid fall-back in intermittent gas-lift installations, JPT March, 315
- Salt Creek field, Wyoming: underground combustion in, JPT Feb., 197
- Sarasota field, Texas: automation and data processing reduce operating costs, JPT April, 377
- Southeastern Kansas: results from a multi-well thermal recovery application, JPT June, 671
- West Harrisburg unit, Nebraska: of wettability adjustment in water flooding, JPT Feb., 206

FINGERING: viscous, in porous media: nonlinear theory, SPEJ June, 165

FINKLEA, E. E. and MORAN, J. H.: *Theoretical Analysis of Pressure Phenomena Associated with the Wireline Formation Tester*, JPT Aug., 899

FLINT, W. B., JR., et al: *Scab Cementing—An Economical Workover Technique for Effective Production Control*, (Tech. Art.) JPT April 349

FLOOD-POT TESTING: study of core-analyses data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114

FLOW CAPACITY: effect of overburden pressure in a deep oil reservoir, (Tech. Art.) JPT Sept., 962

FLUID DISTRIBUTION: Big Piney Mesaverde reservoir, Wyoming, (Tech. Art.) JPT June, 608

FLUID FLOW: analysis of gravity segregation performance during natural depletion, SPEJ Sept., 261

- conditions for determining areal permeability distribution by calculation, SPEJ Sept., 223
- effect of lateral diffusivity on miscible displacement in horizontal reservoirs, SPEJ Dec., 317
- effect of overburden pressure on flow capacity in a deep oil reservoir, (Tech. Art.) JPT Sept., 962
- effect of turbulence on flow of natural gas through porous reservoirs, JPT July, 799
- effect of vertical fractures on reservoir behavior, compressible-fluid case, SPEJ June, 87
- effect on acid reactivity in a carbonate fracture, JPT April, 409
- gas: solutions of unsteady-state radial flow, JPT May, 549
- gravity segregation of miscible fluids in linear models, SPEJ June, 95
- heat transfer in porous rocks through which single-phase fluids are flowing, SPEJ Sept., 290
- mathematical model for water movement about bottom-water-drive reservoirs, SPEJ March, 44; discussion, Dec., 367
- motion of an interface between two fluids in slightly dipping porous medium, SPEJ Sept., 275
- non-Darcy: prediction of gas-well performance, JPT July, 791
- non-Newtonian systems: characterization by dual differentiation-integration method, SPEJ June, 111
- performance of layered reservoirs with crossflow, single-compressible-fluid case, SPEJ March, 53
- Poiseuille-type: characteristic derivatives of ideal models, SPEJ Dec., 309
  - problems involved, SPEJ Sept., 211
- radial, transient: an approximate method for, SPEJ Sept., 225
- reservoir limit test on gas wells, (Tech. Art.) JPT June, 613
- theoretical study in bounded stratified porous systems with crossflow, SPEJ March, 68
- three-component analysis by dispersivity in analogs, SPEJ Sept., 194
- three-phase: computer prediction of water drive of oil and gas mixtures through irregularly bounded porous media, JPT Sept., 1048
  - water flooding, down-structure displacement in presence of gas cap, JPT Dec., 1383
- transient: computer program for calculation of gas in long pipelines, SPEJ Dec., 297
- two-phase: computer method to calculate flow in any irregularly bounded porous medium, JPT June, 679
- study of gravity counterflow segregation, SPEJ June, 185
- verification of waterflood scaling in heterogeneous communicating models, SPEJ March, 9

FLUID INJECTION: viscous slug: use to improve waterflood efficiency in reservoir partially invaded by bottom water, JPT Oct., 1147

FLUID PROPERTIES: effect on waterflood oil recovery, JPT Oct., 1165
miscibility: relationships in the displacement of oil by light hydrocarbons, SPEJ Dec., 340

FORMATION EVALUATION: economical method of rapid reservoir testing, (Tech. Art.) JPT Sept., 957
estimation of reservoir anisotropy from production data, JPT Aug., 909
recent developments in interpretation and application of DST data, (Tech. Art.) JPT Nov., 1213; discussion, 1222

FORMATION FRACTURES: carbonate: effect of flow on acid reactivity, JPT April, 409
field tests indicate new perforating devices improve efficiency in casing completion operations, (Tech. Art.) JPT Oct., 1069
hydraulically induced: results of a field test to determine type and orientation, (Tech. Art.) JPT May, 463
imbibition oil recovery from water-drive reservoir, SPEJ June, 177
vertical: effect on reservoir behavior, compressible-fluid case, SPEJ June, 87

FORMATION TESTER: wireline: theoretical analysis of pressure phenomena associated with, JPT Aug., 899

FOSTER, W. R., et al: *The Differentiation Method in Rheology: II. Characteristic Derivatives of Ideal Models in Poiseuille Flow*, SPEJ Dec., 309
The Differentiation Method in Rheology: I. Poiseuille-Type Flow, SPEJ Sept., 211

FRACTURED RESERVOIRS OR FRACTURING: *See* Formation Fractures

FRACTURES: *See also* Formation Fractures

FRACTURES: axial: produced by explosively induced shocks in plexiglas rods simulating drill bits, SPEJ Sept., 207
produced by low-velocity impact in plexiglas rods simulating drill bits, SPEJ Sept., 203

FRASER, C. D. and PETTITT, B. E.: *Results of a Field Test to Determine the Type and Orientation of a Hydraulically Induced Formation Fracture*, (Tech. Art.) JPT May, 463

FRICK, T. C.: *Questionnaire Results Show Respect for Today's Graduate*, (Tech. Art.) JPT May, 461

FRICTION: studies of, between steel and mud filter cake, JPT May, 537; discussion, 542

FUEL: availability: factors affecting during in situ combustion, JPT Oct., 1154; discussion, 1163
consumption of: a unique approach to estimating future energy requirements, (Tech. Art.) JPT Oct., 1097
fuel cell: research probes vast new market for petroleum products, (Tech. Art.) JPT Feb., 125
National Fuels Policy—the controversy and the data, (Tech. Art.) JPT Sept., 942

FULLER, C. A. and STROUD, S. G.: *New Electromagnetic Inspection Device Permits Improved Casing Corrosion Evaluation*, (Tech. Art.) JPT March, 257

FUNCTIONS: response: for series of nonhomogeneous aquifers, SPEJ Mar., 33

G

GALLE, E. M. and WILHOIT, J. C., JR.: *Stresses Around a Wellbore Due to Internal Pressure and Unequal Principal Geostatic Stresses*, SPEJ June, 145

GAMMA-RAY LOG: review of current techniques and interpretation, (Tech. Art.) JPT March, 233

GARDNER, G. H. F., et al: *Gravity Segregation of Miscible Fluids in Linear Models*, SPEJ June, 95

GAS: *See also* Natural Gas

GAS: equilibrium calculations: practical applications of, (Tech. Art.) JPT May, 491
theoretical aspects of, (Tech. Art.) JPT April, 373
fixed: critical temperatures and critical pressures of binary mixtures with aliphatic hydrocarbons, SPEJ Sept., 197
unsteady-state radial flow in porous media, solutions of, JPT May, 549

GAS INJECTION: analysis for predicting performance of cone-shaped reservoirs, JPT Aug., 894
twenty-three years into a highly undersaturated crude reservoir, (Tech. Art.) JPT April, 361

GAS-LIFT: evaluation of valve port size, surface chokes and fluid fall-back in intermittent installations, JPT March, 315

GAS-OIL RATIO: correlations for solution-gas-drive reservoirs, (Tech. Art.) JPT June, 595

GAS RESERVOIRS: sampling and testing samples, (Tech. Art.) JPT March, 266
some problems of superhigh pressure in Gulf Coast area, (Tech. Art.) JPT Sept., 935
storage: method for computing pressure behavior and volume, JPT May, 544
saturation distribution and injection pressure for a radial type, JPT Dec., 1389

GAS WELLS: behavior when subjected to drawdown tests, JPT May, 549
prediction of performance including effect of non-Darcy flow, JPT July, 791
reservoir limit test on, (Tech. Art.) JPT June, 613

GAS-CAP DRIVE: down-structure displacement in presence of water flooding, JPT Dec., 1383

GATLEY, W. S. and APPL, F. C.: *Rate-of-Loading Effects in Chisel Impact*, SPEJ June, 105

GATLIN, C.: *What Educators Are Doing to Meet Tomorrow's Challenge*, (Tech. Art.) JPT May, 462

GATLIN, C., et al: *Two-Dimensional Study of Rock Breakage in Drag-Bit Drilling at Atmospheric Pressure*, JPT Jan., 93

GILCHRIST, R. E., et al: *Three-Component Analysis by Dispersivity in Fluid-Flow Analogs*, SPEJ Sept., 194

GIRNER, H. M., et al: *Calculations of Formation Temperature Disturbances Caused by Mud Circulation*, JPT April, 416

GLASS, E. D. and HESSING, R. C.: *A Method for Computing Pressure Behavior and Volume of Gas-Storage Reservoirs*, JPT May, 544

GOODE, J. M.: *Gas and Water Permeability Data for Some Common Oilwell Cements*, (Tech. Art.) JPT Aug., 851

GOODWIN, R. J. and ZINKHAM, R. E.: *Burst Resistance of Pipe Cemented Into the Earth*, JPT Sept., 1033

GONDOUIN, M., et al: *A Field Streaming-Potential Experiment*, JPT March, 305; discussions, 312 and 314

GONZALEZ, H. J., et al: *Estimation of Reservoir Anisotropy from Production Data*, JPT Aug., 909

GRAVITY DRAINAGE: analysis during natural depletion, SPEJ Sept., 261
counterflow study, SPEJ June, 185
miscible fluids in linear models, SPEJ June, 95

GRAY, K E., et al: *Two-Dimensional Study of Rock Breakage in Drag-Bit Drilling at Atmospheric Pressure*, JPT Jan., 93

GRAY, R. and KENWORTHY, J. D.: *Early Results Show Wide Range of Recoveries in Two Texas Panhandle Water Floods*, (Tech. Art.) JPT Dec., 1323

GRAYSON, C. J., JR.: *Bayesian Analysis—A New Approach to Statistical Decision-Making*, (Tech. Art.) JPT June, 603

GREENKORN, R. A.: *Experimental Study of Waterflood Tracers*, JPT Jan., 87

GRIEVES, R. B. and THODOS, G.: *The Critical Temperatures and Critical Pressures of Binary Mixtures of the Fixed Gases and Aliphatic Hydrocarbons*, SPEJ Sept., 197

GRINSTEAD, W. C., JR. and BARFIELD, E. C.: *Late Developments in the Seeligson Zone 20B-07 Enriched-Gas-Drive Project*, (Tech Art.) JPT March, 261

GRUY, H. J.: *Thirty Years of Proration in the East Texas Field*, (Tech. Art.) JPT June, 577

GUERRERO, E. T. and MARTINEZ, S. J.: *Preventing Technical Obsolescence in Petroleum Engineers and Scientists*, (Tech. Art.) JPT Sept., 931

H

HALBOUTY, M. T.: *If They Had No Fear, Why Should We?*, (Tech. Art.) JPT Aug., 821

HALL, P. C., et al: *The Effect of Fluid Properties and Stage of Depletion on Waterflood Oil Recovery*, JPT Oct., 1165

HAMMAN, J. P.: *Production Performance of the Fassett and Tuttle Area Cooperative Water Flood, KMA Field, Texas*, (Tech. Art.) JPT Aug., 839

HARNISH, D. H., JR.: *The Petroleum Engineering Profession—A Reality or a Contradiction?*, (Tech. Art.) JPT Nov., 1195

HARPKE, C. F., et al: *A Laboratory and Field Study of Wettability Adjustment in Water Flooding*, JPT Feb., 206

HARTLINE, R., et al: *A Review of Current Techniques in Gamma-Ray and Neutron Log Interpretation*, (Tech. Art.) JPT March, 233

HARTMAN, H. L. and SINGH, M. M.: *Interpretation of Transient Strain Pulses Recorded in Rock Under Impact of a Chisel-Shaped Bit*, SPEJ Sept., 283

HARVEY, R. R., et al: *Three-Component Analysis by Dispersivity in Fluid-Flow Analogs*, SPEJ Sept., 194

HAWKINS, M. F.: *Progress During Recent Years in Petroleum Engineering Education*, (Tech. Art.) JPT May, 459

HAZEBROEK, P., et al: *Effect of Off-Pattern Wells on the Performance of a Five-Spot Water Flood*, JPT Feb., 173

Effect of Vertical Fractures on Reservoir Behavior—Compressible-Fluid Case, SPEJ June, 87

HEAT TRANSFER: in porous rocks through which single-phase fluids are flowing, SPEJ Sept., 290

rates for underground storage tanks, SPEJ March, 28

temperature profiles in underground combustion, SPEJ March, 21

welbore heat transmission, JPT April, 427

HENDERSON, J. H., et al: *Imbibition Relative Permeability in Unconsolidated Porous Media*, SPEJ March, 13

HENDRICKSON, A. R., et al: *The Effect of Flow on Acid Reactivity in a Carbonate Fracture*, JPT April, 409

HESSING, R. C. and GLASS, E. D.: *A Method for Computing Pressure Behavior and Volume of Gas-Storage Reservoirs*, JPT May, 544

HICKS, A. L., et al: *An Analysis for Predicting the Performance of Cone-Shaped Reservoirs Receiving Gas or Water Injection*, JPT Aug., 894

HIGGINS, R. V. and LEIGHTON, A. J.: *A Computer Method to Calculate Two-Phase Flow in Any Irregularly Bounded Porous Medium*, JPT June, 679

Computer Prediction of Water Drive of Oil and Gas Mixtures Through Irregularly Bounded Porous Media—Three-Phase Flow, JPT Sept., 1048

HILL, H. J., et al: *A Field Streaming-Potential Experiment*, JPT March, 305; discussions, 312 and 314

HISTORY: engineering education: the great implosion, (Tech. Art.) JPT Dec., 1311

petroleum industry, (Tech. Art.) JPT Aug., 821

some perspectives of petroleum engineering, (Tech. Art.) JPT Feb., 129

water-drive reservoir with unusual development, material-balance analysis, (Tech. Art.) JPT Jan., 37

HODGES, J. W.: *New Tool Permits Simultaneous Production of Two Reservoirs Through the Same Flow String*, (Tech. Art.) JPT Oct., 1079

HOLM, L. W. and CSASZAR, A. K.: *Oil Recovery by Solvents Mutually Soluble in Oil and Water*, SPEJ June, 129; discussion, 142

HOLMES, E. F. and STELL, L. D.: *Digital Data Processing of Oilfield Production Data*, (Tech. Art.) JPT Nov., 1191

HOLMES, R. E. and LELAND, T. W., JR.: *"The Design of Hydrocarbon Recovery Units Using Solid Adsorbents*, JPT Feb., 179

HOLTER, E. L. and EDWARDS, J. M.: *Applications of a Subsurface Solid-State Isotope Injector to Nuclear-Tracer Survey Methods*, (Tech. Art.) JPT Feb., 121

HORN, M. K. and SLACK, H. A.: *COMLOG—A Comprehensive Computer System for Log Interpretation*, (Tech. Art.) JPT Oct., 1109

HOUGH, E. W.: *The Role of the Small Petroleum Engineering Department*, (Tech. Art.) JPT Sept., 1008

HOUGH, E. W., et al: *Interfacial Tension of the Methane-Normal Decane System*, SPEJ Sept., 257

HOWARD GLASSCOCK FIELD: *See* Texas

HULSEY, BOB T. H.: *The Philosophy Behind Trading Oil Properties*, (Tech. Art.) JPT July, 727

HUNT, E. B., JR.: *Laboratory Study of Paraffin Deposition*, JPT Nov., 1259

HURD, B. G.: *A Liquid-Freon Permeameter*, SPEJ March, 18

HYDROCARBON RECOVERY: design of units using solid adsorbents, JPT Feb., 179

HYDROCHLORIC ACID: effect of flow on acid reactivity in a carbonate fracture, JPT April, 409

HYDRODYNAMIC ACCUMULATION: Big Piney Mesaverde reservoir, Wyoming, (Tech. Art.) JPT June, 608

HYDROGEN SULFIDE: critical temperatures and critical pressures of binary mixtures with aliphatic hydrocarbons, SPEJ Sept., 197

I

IMBIBITION: oil recovery from fractured, water-drive reservoir, SPEJ June, 177

relative permeability: in unconsolidated porous media, SPEJ March, 13

IMMISCIBLE DISPLACEMENT: liquid-liquid: transient interfaces in porous media, SPEJ June, 156

IMPORT: case for a less-restrictive oil policy, (Tech. Art.) JPT July, 699

case for a more-restrictive oil policy (Tech. Art.) JPT July, 703

INDEXING: SPE to adopt new plan in 1963 publications, (Tech. Art.) JPT Dec.

INDUCTION-LATEROLOG: dual: method of analyzing electrical logs recorded on logarithmic scale, (Tech. Art.) JPT Aug., 844

INFORMATION RETRIEVAL: preventing technical obsolescence in petroleum engineers and scientists, (Tech. Art.) JPT Sept., 931

INJECTION: *See* Gas Injection and Water Flooding

INJECTION WELLS: hot-water: calculated temperature behavior, JPT April, 436

INJECTOR: isotope: applications of a subsurface solid-state type to nuclear-tracer survey methods, (Tech. Art.) JPT Feb., 121

IN SITU COMBUSTION: *See* Thermal Recovery of Oil

INTERFACE: between two fluids in slightly dipping porous medium, motion of, SPEJ Sept., 275

transient: during immiscible liquid-liquid displacement in porous media, SPEJ June, 156

INTERFACIAL TENSION: methane-normal decane system, SPEJ Sept., 257

INTERMITTENT FLOW: evaluation of valve port size, surface chokes and fluid fall-back in gas-lift installations, JPT March, 315

INTERNAL REVENUE SERVICE: takes a new look at the ABC transaction, (Tech. Art.) JPT Aug., 825

INTERPRETATION: drill-stem test data: recent developments, (Tech. Art.) JPT Nov., 1213; discussion, 1222

log: COMLOG, a comprehensive computer system for, (Tech. Art.) JPT Oct., 1109

review of gamma-ray and neutron log, (Tech. Art.) JPT March, 233

transient strain pulses recorded in rock under impact of a chisel-shaped bit, SPEJ Sept., 275

INVESTMENTS: outlook for oil stocks—a panel discussion, (Tech. Art.) JPT Dec., 1299

petroleum: optimization of capital expenditures, (Tech. Art.) JPT July, 708

IRBY, T. L., et al: *Material-Balance Analysis of a Water-Drive Reservoir with an Ususual Development History*, (Tech. Art.) Jan., 37

ISOTOPE INJECTOR: subsurface solid-state type: applications to nuclear-tracer survey methods, (Tech. Art.) JPT Feb., 121

J

JAMESON, M. S., JR.: *The Case for a More-Restrictive Oil Imports Policy*, (Tech. Art.) JPT July, 703

JENNINGS, E. R. and VINCENT, R. P.: *Stressed Steel Liner Yields Stronger Casing Repairs*, (Tech. Art.) JPT Dec., 1337

JESSEN, F. W. and BROWN, K. E.: *Evaluation of Valve Port Size, Surface Chokes and Fluid Fall-Back in Intermittent Gas-Lift Installation*, JPT March, 315

JOHNSON, E. F., et al: *An Analysis for Predicting the Performance of Cone-Shaped Reservoirs Receiving Gas or Water Injection*, JPT Aug. 894

JONES, P.: *Reservoir Limit Test on Gas Wells*, (Tech. Art.) JPT June, 613

K

KANSAS: Bartlesville sand: study of core-analyses data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114

Barton County: acidizing with swellable polymers, JPT Sept., 1041

Southeastern, Bartlesville sand: results from a multi-well thermal-recovery test, JPT June, 671

KARP, J. C., et al: *Horizontal Barriers for Controlling Water Coning*, JPT July, 783

KATZ, D. L., et al: *The Effect of Turbulence on Flow of Natural Gas Through Porous Reservoirs*, JPT July, 799

KATZ, M. L. and TEK, M. R.: *A Theoretical Study of Pressure Distribution and Fluid Flux in Bounded Stratified Porous Systems with Crossflow*, SPEJ March, 68

KENDALL, H. A., et al: *Gravity Segregation of Miscible Fluids in Linear Models*, SPEJ June, 95

KENWORTHY, J. D. and GRAY, R.: *Early Results Show Wide Range of Recoveries in Two Texas Panhandle Water Floods*, (Tech. Art.) JPT Dec., 1323

KIEL, O. G. and SWIFT, G. W.: *The Prediction of Gas-Well Performance Including the Effect of Non-Darcy Flow*, JPT July, 791

KMA FIELD: See Texas

KUNII, D., et al: *Heat Transfer in Porous Rocks Through Which Single-Phase Fluids Are Flowing*, SPEJ Sept., 290

KUNZI, R. E.: *Unique Marine Craft Moves Rigs with Speed and Economy*, (Tech. Art.) JPT March, 228

KYTE, J. R. and MATTAX, C. C.: *Imbibition Oil Recovery from Fractured, Water-Drive Reservoir*, SPEJ June, 177

L

LABORATORY STUDIES: axial fractures produced by explosively induced shocks in plexiglas rods simulating drill bits, SPEJ Sept., 207

bottom scavenging is a major factor governing penetration rates at depth, JPT Feb., 187

differential pressure sticking, friction between steel and mud filter cake, JPT May, 537; discussion, 542

effect of flow on acid reactivity in a carbonate fracture, JPT April, 409

effect of fluid properties and stage of depletion on waterflood oil recovery, JPT Oct., 1165

effect of lateral diffusivity on miscible displacement in horizontal reservoirs, SPEJ Dec., 317

effect of temperature on clay minerals in aqueous suspension, SPEJ Sept., 216

effect of vertical fractures on reservoir behavior, compressible-fluid case, SPEJ June, 87

factors affecting fuel availability and composition during in situ combustion, JPT Oct., 1154; discussion, 1163

factors influencing cement bond logs, (Tech. Art.) JPT April, 369

fractures produced by low-velocity impact in plexiglas rods simulating drill bits, SPEJ Sept., 203

gravity counterflow segregation, SPEJ June, 185

gravity segregation of miscible fluids in linear models, SPEJ June, 95

heat transfer in porous rocks through which single-phase fluids are flowing, SPEJ Sept., 290

horizontal barriers for controlling water coning, JPT July, 783

interfacial tension of methane-normal decane system, SPEJ Sept., 257

interpretation of transient strain pulses recorded in rock under impact of a chisel-shaped bit, SPEJ Sept., 283

matching the performance of Saudi Arabian oil fields with an electrical model, JPT Nov., 1275

microscopic dispersion phenomena, SPEJ March, 1

miscibility relationships in the displacement of oil by light hydrocarbons, SPEJ Dec., 340

numerical calculation of multidimensional miscible displacement, SPEJ Dec., 327

oil recovery by solvents mutually soluble in oil and water, SPEJ June, 129; discussion, 142

paraffin deposition, JPT Nov., 1259

the "perfect-cleaning" theory of rotary drilling, JPT Nov., 1270

rate-of-loading effects in chisel impact, SPEJ June, 105

stressed steel liner yields stronger casing repairs, (Tech. Art.) JPT Dec., 1337

stresses around a wellbore due to internal pressure and unequal principal geostatic stresses, SPEJ June, 145

three-component analysis by dispersivity in fluid-flow analogs, SPEJ Sept., 194

two-dimensional: of rock breakage in drag-bit drilling at atmospheric pressure, JPT Jan., 93

ultimate resistance against a rigid cylinder moving laterally in a cohesionless soil, SPEJ Dec., 355

use of viscous slug to improve waterflood efficiency in reservoir partially invaded by bottom water, JPT Oct., 1147

waterflood tracers, JPT Jan., 87

wettability adjustment in water flooding, JPT Feb., 206

LACT: Automatic data readout cuts equipment and labor costs in Oklahoma waterflood project, (Tech. Art.) JPT May, 473

automation and data processing reduce operating costs in 12,000-acre field, (Tech. Art.) JPT April, 377

centralized automatic production control and data gathering, the Virginia Hills field, (Tech. Art.) JPT Jan., 22

digital data processing of oilfield production data, (Tech. Art.) JPT Nov., 1191

equipment design and application, trends in, (Tech. Art.) JPT Nov., 1183

stepwise approach to lease automation, (Tech. Art.) JPT Nov., 1188

units: calibrated pipe prover, an improved method for calibrating meters in, (Tech. Art.) JPT Oct., 1087

LAKE ARTHUR FIELD: *See* Louisiana

LAKE MARACAIBO: *See* Venezuela

LATEROLOG-INDUCTION: duel: method of analyzing electrical logs recorded on logarithmic scale, (Tech. Art.) JPT Aug., 844

LEACH, R. O., et al: *A Laboratory and Field Study of Wettability Adjustment in Water Flooding*, JPT Feb., 206

LEBEAUX, J. M.: *The Feasibility of Equipment Leasing in the Oil Industry—An Economic Analysis*, (Tech. Art.) JPT April, 355

LEIGHTON, A. J. and HIGGINS, R. V.: *A Computer Method to Calculate Two-Phase Flow in Any Irregularly Bounded Porous Medium*, JPT June, 679

Computer Prediction of Water Drive of Oil and Gas Mixtures Through Irregularly Bounded Porous Media —Three-Phase Flow, JPT Sept., 1048

LELAND, T. W., JR. and HOLMES, R. E.: *The Design of Hydrocarbon Recovery Units Using Solid Adsorbents*, JPT Feb., 179

LICHTBLAU, J. H.: *The Case for a Less-Restrictive Oil Imports Policy*, (Tech. Art.) JPT July., 699

LINEAR PROGRAMMING: problem-solving tool for petroleum industry management, (Tech. Art.) JPT July, 729

LINER: double-wall multicell: field performance of, (Tech. Art.) JPT May, 483

stressed steel: yields stronger casing repairs, (Tech. Art.) JPT Dec., 1337

LIQUIDS: compressible and incompressible: approximate method for transient radial flow, SPEJ Sept., 225

LOCO HILLS FIELD: *See* New Mexico

LOG INTERPRETATION: modern log analysis, (Tech. Art.) JPT Dec., 1327

LOGAN, J. L., et al: *Helical Buckling of Tubing Sealed in Packers*, JPT June, 655

LOGARITHMIC RESISTIVITY SCALE: method of analyzing electrical logs recorded on, (Tech. Art.) JPT Aug., 844

LOGGING: *See* Well Logging

LOUISIANA: Lake Arthur field: some problems of superhigh-pressure gas reservoirs, (Tech. Art.) JPT Sept., 935

LPG INJECTION: performance prediction of a miscible-slug process in a highly stratified reservoir, JPT Jan., 81

LOWE, D. K., et al: *Horizontal Barriers for Controlling Water Coning*, JPT July, 783

LUBINSKI, A., et al: *Helical Buckling of Tubing Sealed in Packers*, JPT June, 655

LYNCH, E. J., et al: *Streaming Potential of Muds Containing Starch*, JPT March, 329

LYNN, A. B., JR., et al: *A Study of Core-Analysis Data from Flooded-Out Oil Sands*, (Tech. Art.) JPT Feb., 114

M

MAGNETIC TAPES: recording of dipmeter logs, JPT July, 771

MAIER, L. F.: *Recent Developments in the Interpretation and Application of DST Data*, (Tech. Art.) JPT Nov., 1213; discussion, 1222

MAIER, L. F., et al: *An Economical Method of Rapid Reservoir Testing*, (Tech. Art.) JPT Sept., 957

MANAGEMENT: linear programming, a problem solving tool for petroleum industry, (Tech. Art.) JPT July, 729.
- practices of: in engineering professionalism, (Tech. Art.) JPT Nov., 1195
- production model in a petroleum industry game, (Tech. Art.) JPT Sept., 939

MARINE CRAFT: moves rigs with speed and economy at Lake Maracaibo, (Tech. Art.) JPT March, 228

MARKET REQUIREMENTS: future: a unique approach to estimating, (Tech. Art.) JPT Oct., 1097

MARKET VALUE: secondary recovery reserves: how to determine, (Tech. Art.) JPT Aug., 829

MARSH, G. A.: *A Review of Corrosion and Cathodic-Protection Principles From an Electro-Chemical Point-of-View*, (Tech. Art.) JPT Sept., 967

MARTIN, W. L., et al: *Factors Affecting Fuel Availability and Composition During In Situ Combustion*, JPT Oct., 1154; discussion, 1163

MARTINEZ, S. J. and GUERRERO, E. T.: *Preventing Technical Obsolescence in Petroleum Engineers and Scientists*, (Tech. Art.) JPT Sept., 931

MARUSOV, N., et al: *Horizontal Barriers for Controlling Water Coning*, JPT July, 783

MATERIAL-BALANCE CALCULATIONS: undersaturated water-drive reservoir with unusual development history, (Tech. Art.) JPT Jan., 37
- with water influx in presence of uncertainty in pressures, SPEJ June, 120

MATTAX, C. C. and KYTE, J. R.: *Imbibition Oil Recovery from Fractured, Water-Drive Reservoir*, SPEJ June, 177

MATTHEWS, C. S., et al: *Calculation of Formation Temperature Disturbances Caused by Mud Circulation*, JPT April, 416

MAURER, W. C.: *The "Perfect-Cleaning" Theory of Rotary Drilling*, JPT Nov., 1270

MCCOLLUM, L. F.: *A Time for Action—The Importance of the Petroleum Engineer*, (Tech. Art.) JPT April, 345

MCEWEN, C. R.: *Material Balance Calculations with Water Influx in the Presence of Uncertainty in Pressures*, SPEJ June, 120

MCHANEY, S. R.: *Adverse Effects of Water Injection Into Thick Sand Reservoirs Containing Thin, Highly Permeable Lenses*, (Tech. Art.) JPT March, 253

MEASUREMENT: of BS&W, principles and practices, (Tech. Art.) JPT Nov., 1207

METERS: in LACT units: calibrated pipe prover, an improved method for calibrating, (Tech. Art.) JPT Oct., 1087

METHANE-N-DECANE SYSTEM: interfacial tension of, SPEJ Sept., 257

MEYER, W. K., et al: *Discussion on Oil Recovery by Solvents Mutually Soluble in Oil and Water*, SPEJ June, 142

MICROBIAL PROBLEM: corrosion: what causes it and how it can be controlled, (Tech. Art.) JPT Oct., 1074

MILES, F. V. and PEDERSEN, J. A.: *Fluid Distribution and Reservoir Characteristics of the Big Piney Mesaverde Reservoir, Wyoming*, (Tech Art.) JPT June, 608

MILLER, G. K., et al: *Automatic Computation of Dipmeter Logs Digitally Recorded on Magnetic Tapes*, JPT July, 771

MISCIBLE DISPLACEMENT: effect of lateral diffusivity in horizontal reservoirs, SPEJ Dec., 317
- gravity segregation of miscible fluids in linear models, SPEJ June, 95
- laboratory studies of microscopic dispersion phenomena, SPEJ March, 1
- late developments in the Seeligson Zone 20B-07 enriched-gas-drive project, (Tech. Art.) JPT March, 261
- multidimensional: numerical calculation of, SPEJ Dec., 327
- multi-layer technique for predicting reservoir performance, JPT Jan., 73
- relationships in the displacement of oil by light hydrocarbons, SPEJ Dec., 340
- slug process: performance predictions in a highly stratified reservoir, JPT Jan., 81

MIXTURES: binary: fixed gases and aliphatic hydrocarbons, critical temperatures and critical pressures, SPEJ Sept., 197
- interfacial tension of methane-normal decane system, SPEJ Sept., 257

MODELS: electrical: matching the performance of Saudi Arabian oil fields with, JPT Nov., 1275
- flow: numerical calculation of multidimensional miscible displacement, SPEJ Dec., 327
- study of imbibition relative permeability in unconsolidated porous media, SPEJ March, 13
- flow, sand-pack: oil recovery by solvents mutually soluble in oil and water, SPEJ June, 129; discussion, 142
- study of gravity counterflow segregation, SPEJ June, 185
- generalized Newtonian and viscoplastic, characterization of systems by dual differentiation-integration method, SPEJ June, 111
- Hele-Shaw: water flooding, downstructure displacement in presence of gas cap, JPT Dec., 1383
- ideal: characteristic derivatives of, SPEJ Dec., 309
- linear: gravity segregation of miscible fluids, SPEJ June, 95
- mathematical: effect of vertical fractures on reservoir behavior, compressible-fluid case, SPEJ June, 87
- miscible displacement, a multilayer technique for predicting reservoir performance, JPT Jan., 73
- of petroleum industry: linear programming, a problem solving tool for management, (Tech. Art.) JPT July, 729
- in prediction of gas-well performance including effect of non-Darcy flow, JPT July, 791
- pressure transient performance of a multilayered reservoir with crossflow, SPEJ Dec., 347
- in studying burst resistance of pipe cemented into the earth, JPT Sept., 1033
- in studying transient interfaces during immiscible liquid-liquid displacement in porous media, SPEJ June, 156
- of water movement about bottom-water-drive reservoirs, SPEJ March, 44; discussion, Dec., 367
- photoelastic: in studying stresses around a wellbore due to internal pressure and unequal principal geostatic stresses, SPEJ June, 145
- potentiometric: method to calculate two-phase flow in any irregularly bounded porous medium, JPT June, 679
- production: in petroleum industry management game, (Tech. Art.) JPT Sept., 939

sand packs: laboratory studies of microscopic dispersion phenomena, SPEJ March, 1
use of viscous slug to improve waterflood efficiency in reservoir partially invaded by bottom water, JPT Oct., 1147
sandstone: experimental study of waterflood tracers, JPT Jan., 87
scaled five-spot flow: verification of waterflood scaling in heterogeneous communicating models, SPEJ March, 9

MONAGHAN, P. H. and ANNIS, M. R.: *Differential Pressure Sticking--Laboratory Studies of Friction Between Steel and Mud Filter Cake*, JPT May, 537; discussion, 542

MORAN, J. H., et al: *Automatic Computation of Dipmeter Logs Digitally Recorded on Magnetic Tapes*, JPT July, 771

MORAN, J. H. and FINKLEA, E. E.: *Theoretical Analysis of Pressure Phenomena Associated with the Wireline Formation Tester*, JPT Aug., 899

MORGEN, R. A. and DOZIER, H. S.: *A Stepwise Approach to Lease Automation*, (Tech. Art.) JPT Nov., 1188

MUD CIRCULATION: calculation of formation temperature caused by, JPT April, 416

MUELLER, T. D.: *Transient Response of Nonhomogeneous Aquifers*, SPEJ March, 33

MUELLER, T. D., et al: *Evaluation of Underground Gas-Storage Conditions in Aquifers Through Investigations of Groundwater Hydrology*, JPT May, 555

MULLINS, J. D.: *Some Problems of Superhigh-Pressure Gas Reservoirs in the Gulf Coast Area*, (Tech. Art.) JPT Sept., 935

MULLINS, L. D., et al: *Matching the Performance of Saudi Arabian Oil Fields with an Electrical Model*, JPT Nov., 1275

MULTIPLE ZONES: new tool permits simultaneous production of two reservoirs through same flow string, (Tech. Art.) JPT Oct., 1079

MULTI-WELL SYSTEMS: approximate method for transient radial flow, SPEJ Sept., 225

N

NAAR, J., et al: *Imbibition Relative Permeability in Unconsolidated Porous Media*, SPEJ March, 13

NATIONAL FUELS POLICY: the controversy and the data, (Tech. Art.) JPT Sept., 942

NATIONAL SECURITY: aspects in case for a less-restrictive oil imports policy, (Tech. Art.) JPT July, 699
aspects in case for a more-restrictive oil imports policy, (Tech. Art.) JPT July, 703

NATURAL GAS: computer program for calculation of transient flow in long pipelines, SPEJ Dec., 297
effect of turbulence on flow through porous media, JPT July, 799
liquefied: heat transfer rates and temperature fields for underground storage tanks, SPEJ March, 28
prediction of gas-well performance including effect of non-Darcy flow, JPT July, 791
some problems of super-pressure reservoirs in Gulf Coast area, (Tech. Art.) JPT Sept., 935
storage underground: evaluation of conditions in aquifers through investigations of groundwater hydrology, JPT May, 555
gas and water permeability data for some common oil-well cements, (Tech. Art.) JPT Aug., 851
method for computing pressure behavior and volume, JPT May, 544

NEBRASKA: West Harrisburg unit: laboratory and field study of wettability adjustment in water flooding, JPT Feb., 206

NELSON, R. W.: *Conditions for Determining Areal Permeability Distribution by Calculation*, SPEJ Sept., 223

NEUTRON LOG: review of current techniques and interpretation, (Tech. Art.) JPT March, 233

NEW MEXICO: Loco Hills field: successful pilot predicts bright future for water flood, (Tech. Art.) JPT Nov., 1223

NIELSON, R. F., et al: *A Study of Gravity Counterflow Segregation*, SPEJ June, 185

NON-NEWTONIAN SYSTEMS: characterization by dual differentiation-integration method, SPEJ June, 111

NORTH BURBANK UNIT: *See* Oklahoma

NORTH MARKHAM-NORTH BAY CITY FIELD: *See* Texas

O

OFFSHORE DRILLING: unique marine craft moves rigs with speed, economy at Lake Maracaibo, (Tech. Art.) JPT March, 228

OIL: equilibrium calculations: practical applications of, (Tech. Art.) JPT May, 491
theoretical aspects of, (Tech. Art.) JPT April, 373

OIL INDUSTRY: attractive career potential for young engineers, (Tech. Art.) JPT May, 455
feasibility of economic equipment leasing; an analysis, (Tech. Art.) April, 355
history of, (Tech. Art.) JPT Aug., 821
production model in a management game, (Tech. Art.) JPT Sept., 939

OIL PROPERTIES: how to determine market value of secondary recovery reserves, (Tech. Art.) JPT Aug., 829
purchasing of: Internal Revenue Service takes a new look at ABC transactions, (Tech. Art.) JPT Aug., 825

OIL RECOVERY: by solvents mutually soluble in oil and water, SPEJ June, 129; discussion, 142
imbibition: from fractured, water-drive reservoir, SPEJ June, 177
role of reservoir mechanics, (Tech. Art.) JPT June, 583
Texas Panhandle field: early results show wide range of recoveries in two water floods, (Tech. Art.) JPT Dec., 1323
underground combustion in the Shannon Pool, Wyoming, JPT Feb., 197
water flood: effect of fluid properties and stage of depletion, JPT Oct., 1165

OIL RESERVOIRS: sampling and testing of, (Tech. Art.) JPT Jan., 12

OIL SAMPLES: adjusting data for reservoir studies, (Tech. Art.) JPT Feb., 143

OIL STOCKS: investment outlook for—a panel discussion, (Tech. Art.) JPT Dec., 1299

OKLAHOMA: Bartlesville sand: study of core-analyses data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114
Kingfisher County: acidizing with swellable polymers, JPT, Sept., 1041
North Burbank unit: automatic data readout cuts equipment and labor costs in waterflood project, (Tech. Art.) JPT May, 473

OPERATIONS RESEARCH: linear programming, a problem-solving tool for petroleum industry management, (Tech. Art.) JPT July, 729

OPTIMIZING TECHNIQUES: of capital expenditures in petroleum investment, (Tech. Art.) JPT July, 708

ORIENTATION: hydraulically induced formation fracture; results of field test to determine, (Tech. Art.) JPT May, 463

OUTMANS, H. D.: *Discussion on Differential Pressure Sticking—Laboratory Studies of Friction Between Steel and Mud Filter Cake*, JPT May, 542
Nonlinear Theory for Frontal Stability and Viscous Fingering in Porous Media, SPEJ June, 165
Transient Interfaces During Immiscible Liquid-Liquid Displacement in Porous Media, SPEJ June, 156

OVEJA FIELD: *See* Venezuela

OVERBURDEN PRESSURE: effect on some properties of sandstone, SPEJ Dec., 360

P

PACKERS: helical buckling of tubing sealed in, JPT June, 655

PANHANDLE FIELD: *See* Texas

PALMER, W. V., et al: *Scab Cementing—An Economical Workover Technique for Effective Production Control*, (Tech. Art.) April, 349

PALOMA FIELD: *See* California

PARAFFIN DEPOSITION: laboratory study, JPT Nov., 1259

PARKISON, H. R., et al: *Calculation of Formation Temperature Disturbances Caused by Mud Circulation*, JPT April, 416

PARRISH, D. R., et al: *Underground Combustion in the Shannon Pool, Wyoming*, JPT Feb., 197

PAVLICH, J. P. and WAHL, W. W.: *Field Results of Cementing Operations Using Slurries Containing a Fluid-Loss Additive for Cement*, (Tech. Art.) JPT May, 477

PEACEMAN, D. W. and RACHFORD, H. H., JR.: *Numerical Calculation of Multidimensional Miscible Displacement*, SPEJ Dec., 327

PEARSON, A. J. and WILSON, W. W.: *How to Determine the Market Value of Secondary Recovery Reserves*, (Tech. Art.) JPT Aug., 829

PEDERSEN, J. A. and MILES, F. V.: *Fluid Distribution and Reservoir Characteristics of the Big Piney Mesaverde Reservoir, Wyoming*, (Tech. Art.) JPT June, 608

PENDANT-DROP TECHNIQUE: for interfacial tension of methane-normal decane system, SPEJ Sept., 257

PENDERGRASS, J. D. and BERRY, V. J., Jr.: *Pressure Transient Performance of a Multilayered Reservoir with Crossflow*, SPEJ Dec., 347

PENN, M. B. and EARLOUGHER, R. C.: *Is Engineering Training Being Influenced Adversely by Professional Educators?* (Tech. Art.) JPT March, 242

PENNINGTON, B. F., et al: *Interfacial Tension of the Methane-Normal Decane System*, SPEJ Sept. 257

PENNSYLVANIA: Bradford sand: study of core-analyses data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114

PERFORATING: field tests indicate new devices improve efficiency in casing completion operations, (Tech. Art.) Oct., 1069

PERFORATION SEALER: stressed steel liner yields stronger casing repairs, (Tech. Art.) JPT Dec., 1337

PERFORMANCE PREDICTIONS: analysis of cone-shaped reservoirs receiving gas or water injection, JPT Aug., 894
analysis of gravity segregation during natural depletion, SPEJ Sept., 261
computer: of water drive of oil and gas mixtures through irregularly bounded porous media, three-phase flow, JPT Sept., 1048
correlations of gas-oil ratio history in a solution-gas-drive reservoir, (Tech. Art.) JPT June, 595
five-spot water flood, effect of off-pattern wells, JPT Feb., 173
gas-well: effect of non-Darcy flow, JPT July, 791
layered reservoirs with crossflow, single-compressible-fluid case, SPEJ March, 53
miscible displacement, multilayer technique, JPT Jan., 73
miscible-slug process in a highly stratified reservoir, JPT Jan., 81
Saudi Arabian oil fields: matching with an electrical model, JPT Nov., 1275

PERMEABILITY: anisotropic: contained injection pattern and high pumping rates solve problems in North Texas Caddo conglomerate water flood, (Tech. Art.) JPT Oct., 1104
areal distribution by calculation: condition for determining, SPEJ Sept., 223
gas and water: some common oilwell cements, (Tech. Art.) JPT Aug., 851
horizontal barriers for controlling water coning, JPT July, 783
relative; imbibition: in unconsolidated porous media, SPEJ March, 13
statistical reservoir-zonation technique, JPT Aug., 889; discussion, Dec., 1394
stratified: approximate method for transient radial flow, SPEJ Sept., 225
effect of turbulence on flow of natural gas through porous media, JPT July, 799
multilayer miscible displacement technique for predicting reservoir performance, JPT Jan., 73
performance of layered reservoirs with crossflow, single-compressible-fluid case, SPEJ March, 53
performance prediction of a miscible-slug process, JPT Jan., 81
practical aspects of interlayer crossflow, (Tech. Art.) JPT June, 589
pressure transient performance of a reservoir with crossflow, SPEJ Dec., 355
theoretical study of pressure distribution and fluid flux in bounded porous systems with crossflow, SPEJ March, 68

PERMEAMETER: liquid freon, SPEJ March, 18

PETROLEUM: *See also* Oil

PETROLEUM ENGINEER: the importance of: a time for action, (Tech. Art.) JPT April, 345
preventing technical obsolescence in (Tech. Art.) JPT Sept., 931

PETROLEUM ENGINEERING: the profession, a reality or a contradiction? (Tech. Art.) JPT Nov., 1195
role of small department, (Tech. Art.) JPE Sept., 1008
role of university in research and research training, (Tech. Art.) JPT Aug., 855
some perspectives of, (Tech. Art.) JPT Feb., 129
where does it go from here?, (Tech. Art.) JPT Jan., 29
will today's graduate meet tomorrow's challenge?—a panel discussion, (Tech. Art.) JPT May, 458

PETROLEUM PRODUCTS: fuel cell: research probes vast new market, (Tech. Art.) JPT Feb., 125

PETRULAS, T. G., et al: *Scab Cementing—An Economical Workover Technique For Effective Production Control*, (Tech. Art.) JPT April, 349

PETTITT, B. E. and FRASER, C. D.: *Results of a Field Test to Determine the Type and Orientation of a Hydraulically Induced Formation Fracture*, (Tech. Art.) JPT May, 463

PFREHM, R. H.: *The Calibrated Pipe Prover—An Improved Method for Calibrating Meters in LACT Units*, (Tech. Art.) JPT Oct., 1087

PHASE BEHAVIOR: ethane in gaseous and liquid states, SPEJ June, 83

PHILLIPS, E. M. and THODOS, G.: *The PVT-Behavior of Ethane in the Gaseous and Liquid States*, SPEJ June, 83

PIPE: drill: burst resistance of pipe cemented into the earth, JPT Sept., 1033
differential pressure sticking, laboratory studies of friction between steel and mud filter cake, JPT May, 537; discussion, 542

POHORILES, E. M., et al: *Field Tests Indicate New Perforating Devices Improve Efficiency in Casing Completion Operations*, (Tech. Art.) JPT Oct., 1069

POISEUILLE FLOW: characteristic derivatives of ideal models, SPEJ Dec., 309
problems involving, SPEJ Sept., 211

POLYMERS: organic: acidizing with, JPT Sept., 1041

POROUS MEDIA: *See also* Reservoir Rocks
bounded stratified systems with crossflow, theoretical study of pressure distribution and fluid flux, SPEJ March, 68
effect of turbulence on flow of natural gas, JPT July, 799
irregularly bounded: computer method to calculate two-phase flow, JPT June, 679
computer prediction of water drive of oil and gas mixtures, three-phase flow, JPT Sept., 1048
laboratory studies of microscopic dispersion phenomena, SPEJ March, 1
nonlinear theory for frontal stability and viscous fingering, SPEJ June, 165
slightly dipping: motion of an interface between two fluids, SPEJ Sept., 275
transient interfaces during immiscible liquid-liquid displacement, SPEJ June, 156
through which single-phase fluids are flowing, heat transfer in, SPEJ Sept., 290
unconsolidated: imbibition relative permeability, SPEJ March, 13

PORTEOUS, W. R., et al: *An Economical Method of Rapid Reservoir Testing*, (Tech. Art.) JPT Sept., 957

POWERS, J. E., et al: *Computer Program for Calculation of Transient Flow of Gas in Long Pipelines*, SPEJ Dec., 297

PRATS, M. and RUSSELL, D. G.: *The Practical Aspects of Interlayer Crossflow*, (Tech. Art.) JPT June, 589
Performance of Layered Reservoirs with Crossflow—Single-Compressible-Fluid Case, SPEJ March, 53

PRATS, M., et al: *Effect of Off-Pattern Wells on the Performance of A Five-Spot Water Flood*, JPT Feb., 173
Effect of Vertical Fractures on Reservoir Behavior—Compressible-Fluid Case, SPEJ June, 87

PRESSURE BEHAVIOR: for a radial gas-storage reservoir, JPT Dec., 1389
material balance calculations with water influx, SPEJ June, 120
method of computing for gas-storage reservoirs, JPT May, 544
overburden: effect on flow capacity in a deep oil reservoir, (Tech. Art.) JPT Sept., 962

PRESSURE BUILD-UP ANALYSIS: theoretical: of phenomena associated with wireline formation tester, JPT Aug., 899

PRESSURE DISTRIBUTION: theoretical study in bounded stratified porous systems with crossflow, SPEJ March, 68

PRESSURE MAINTENANCE: *See* Gas Injection and Water Flooding

PRESSURE TRANSIENTS: performance of a multilayered reservoir with crossflow, SPEJ Dec., 347

PRODUCTION: conditions in: a time for action; importance of the petroleum engineer, (Tech. Art.) JPT April, 345
estimation of reservoir anisotropy from data, JPT Aug., 909
oil from tight layers: practical aspects of interlayer crossflow, (Tech. Art.) JPT June, 589

PRODUCTION OPERATIONS: centralized automatic control and data gathering in the Virginia Hills field, (Tech. Art.) JPT Jan., 22
control of: digital data processing of oilfield data, (Tech. Art.) JPT, 1191
stepwise approach to lease automation, (Tech. Art.) JPT, 1188
performance of Fassett and Tuttle Area cooperative water flood, KMA field, Texas, (Tech. Art.) JPT Aug., 839
scab cementing—an economical workover technique for effective control, (Tech. Art.) JPT April, 349

PROFESSIONAL EDUCATORS: are they adversely influencing engineering training? (Tech. Art.) JPT March, 242

PROFESSIONAL RECOGNITION: some perspectives of petroleum engineering, (Tech. Art.) JPT Feb., 129

PROFESSIONALISM: engineering: a reality or a contradiction? (Tech. Art.) JPT Nov., 1195
the great engineering implosion, (Tech. Art.) JPT Dec., 1311

PROMPSY, J. J. and RINEHART, J. S.: *On Axial Fractures Produced by Explosively Induced Shocks in Plexiglas Rods Simulating Drill Bits*, SPEJ Sept., 207
On Fractures Produced by Low-Velocity Impact in Plexiglas Rods Simulating Drill Bits, SPEJ Sept., 203

PROPERTY: oil: how to determine market value of secondary recovery reserves, (Tech. Art.) JPT Aug., 829
Internal Revenue Service takes a new look at the ABC transaction, (Tech. Art.) JPT Aug., 825
philosophy behind trading, (Tech. Art.) JPT July, 727

PROPERTY: what are petroleum reserves in valuation?, (Tech. Art.) JPT July, 719; discussions, 723 and 724

PRORATION: East Texas field: 30 years of, (Tech. Art.) JPT June, 577

PROVER: calibrated pipe: an improved method for calibrating meters in LACT units, (Tech. Art.) JPT Oct., 1087

PUBLICATIONS: SPE to adopt indexing plan in 1963, (Tech. Art.) JPT Dec., 1359

R

RACHFORD, H. H., JR. and PEACEMAN, D. W.: *Numerical Calculation of Multidimensional Miscible Displacement*, SPEJ Dec., 327

RAGLAND, D.: *The Great Engineering Implosion*, (Tech. Art.) JPT Dec., 1311

RAMEY, H. J., JR.: *Wellbore Heat Transmission*, JPT April, 427

RATE OF RETURN: optimization of capital expenditures in petroleum investments, (Tech. Art.) JPT July, 708

RAUSCH, R. W., et al: *Underground Combustion in the Shannon Pool, Wyoming*, JPT Feb., 197

REBOLD, J. H.: *Evaluation of Water-Oil Displacement Efficiency Using Subsurface Logs*, (Tech. Art.) JPT Jan., 17

REDUCED-STATE BEHAVIOR: ethane in gaseous and liquid states, SPEJ June, 83

REED, R. L., et al: *Discussion on Oil Recovery by Solvents Mutually Soluble in Oil and Water*, SPEJ June, 142

REESE, L. C.: *Ultimate Resistance Against a Rigid Cylinder Moving Laterally in a Cohensionless Soil*, SPEJ Dec., 355

REFRACTIVE INDEX: used in three-component analysis by dispersivity in fluid-flow analogs, SPEJ Sept., 194

REISTLE, C. E., JR.: *The Petroleum Industry—An Attractive Career Potential For Young Engineers*, (Tech. Art.) JPT May, 455

RELATIVE PERMEABILITY: imbibition: in unconsolidated porous media, SPEJ March, 13

RESERVES: definition and classification, (Tech. Art.) JPT July, 719; discussions, 723 and 724
East Texas field: case history, (Tech. Art.) JPT June, 577
secondary recovery: how to determine market value of, (Tech. Art.) JPT Aug., 829

RESERVOIR ANALYSIS: for predicting performance of cone-shaped reservoirs receiving gas or water injection, JPT Aug., 894

RESERVOIR CHARACTERISTICS: Big Piney Mesaverde reservoir, Wyoming, (Tech. Art.) JPT June, 608

RESERVOIR FLUIDS: adjusting oil sample data for reservoir studies, (Tech. Art.) JPT Feb., 143
fundamentals of, (Tech. Art.) JPT Jan., 11
practical application of oil and gas equilibrium calculations, (Tech. Art.) JPT May, 491
sampling and testing gas reservoir samples, (Tech. Art.) JPT March, 266
sampling and testing oil samples, (Tech. Art.) JPT Jan., 12
theoretical aspects of oil and gas equilibrium calculations, (Tech. Art.) JPT April, 373

RESERVOIR LIMIT TEST: gas wells, (Tech. Art.) JPT [illegible] 613

RESERVOIR MECHANICS: stylized myth or potential science?, (Tech. Art.) June, 583

RESERVOIR PRESSURE: material balance calculations with water influx in presence of pressure uncertainty, SPEJ June, 120

RESERVOIR ROCKS: *See also* Porous Media
effect of overburden pressure on some properties of sandstones, SPEJ Dec., 360
evaluation of water-oil displacement efficiency using subsurface logs, (Tech. Art.) JPT Jan., 17
interpretation of transient strain pulses recorded under impact of a chisel-shaped bit, SPEJ Sept., 283
permeability measurement using liquid-freon permeameter, SPEJ March, 18
rate-of-loading effects in chisel impact, SPEJ June, 105
statistical reservoir-zonation technique, JPT Aug., 889; discussion, Dec., 1394
two-dimensional study of breakage in drag-bit drilling at atmospheric pressure, JPT Jan., 93

RESERVOIRS: thick sand: with thin, highly permeable lenses, adverse effects of water injection, (Tech. Art.) JPT March, 253
undersaturated crude: twenty-three years of gas injection into, (Tech. Art.) JPT April, 361

RESIDUAL FUEL OIL: case for a less-restrictive import policy, (Tech. Art.) JPT July, 699
case for a more-restrictive import policy, (Tech. Art.) JPT July, 703

RESISTANCE: ultimate: against a rigid cylinder moving laterally in a cohesionless soil, SPEJ Dec., 355

RESISTIVITY: method of analyzing electrical logs recorded on logarithmic scale, (Tech. Art.) JPT Aug., 844

RESPONSE FUNCTIONS: of nonhomogeneous aquifers, SPEJ March, 33

RHEOLOGY: differentiation method in: characteristic derivatives of ideal models in Poiseuille flow, SPEJ Dec., 309
Poiseuille-type flow, SPEJ Sept., 211
RICHARDSON, R. L.: *Field Performance of the Double-Wall Multicell Liner*, (Tech. Art.) JPT May, 483
RILEY, E. A. and SWAN, C. R.: *Contained Injection Pattern and High Pumping Rates Solve Permeability Problems in a North Texas Caddo Conglomerate Water Flood*, (Tech. Art.) Oct., 1104
RINEHART, J. S. and PROMPSY, J. J.: *On Axial Fractures Produced by Explosively Induced Shocks in Plexiglas Rods Simulating Drill Bits*, SPEJ Sept., 207
On Fractures Produced by Low-Velocity Impact in Plexiglas Rods Simulating Drill Bits, SPEJ Sept., 203
ROBERTS, T. G. and ELLIS, H. E., Jr.: *Correlations of Gas-Oil Ratio History in a Solution-Gas-Drive Reservoir*, (Tech. Art.) JPT June, 595
ROBINSON, J. M., et al: *A Study of Core-Analyses Data from Flooded-Out Oil Sands*, (Tech. Art.) JPT Feb. 114
RODRIGUEZ, H. V.: *Discussion on Factors Affecting Fuel Availability and Composition During In Situ Combustion*, JPT Oct., 1163
ROWAN, G. and CLEGG, M. W.: *An Approximate Method for Transient Radial Flow*, SPEJ Sept., 225
RUSMAG FIELD: *See* Texas
RUSSELL, D. K.: *The Investment Outlook for Oil Stocks—A Panel Discussion: Declining Margins and Profitless Prosperity*, (Tech. Art.) JPT Dec., 1302
RUSSELL, D. G. and PRATS, M.: *The Practical Aspects of Interlayer Crossflow*, (Tech. Art.) JPT June, 589
Performance of Layered Reservoirs with Crossflow—Single-Compressible-Fluid Case, SPEJ March, 53
RUTHERFORD, W. M.: *Miscibility Relationships in the Displacement of Oil By Light Hydrocarbons*, SPEJ Dec., 340

S

SACATOSA FIELD: *See* Texas
SALT CREEK FIELD: *See* Wyoming
SAMPLE DATA: oil: adjusting for reservoir studies, (Tech. Art.) JPT Feb., 143
SAMPLING: formation: a rapid and economical method, (Tech. Art.) JPT Sept., 957
gas reservoirs, (Tech. Art.) JPT March, 266
oil reservoir samples, (Tech. Art.) JPT Jan., 12
SAND CONTROL: field performance of double-wall multicell liner, (Tech. Art.) May, 483
SANDSTONES: properties of: effect of overburden pressure on, SPEJ Dec., 360
SAN MIGUELITO FIELD: *See* California
SATURATION DISTRIBUTION: radial displacement: analysis for predicting performance of cone-shaped reservoirs receiving gas or water injection, JPT Aug., 894
radial gas-storage reservoir, JPT Dec., 1389
SAUDI ARABIA: Arab-D member: matching performance with an electrical model, JPT Nov., 1275
SAVINS, J. G.: *The Characterization of Non-Newtonian Systems by A Dual Differentiation-Integration Method*, SPEJ June, 111
SAVINS, J. G., et al: *The Differentiation Method of Rheology: II. Characteristic Derivatives of Ideal Models in Poiseuille Flow*, SPEJ Dec., 309
The Differentiation Method in Rheology: I. Poiseuille-Type Flow, SPEJ Sept., 211
SCAB CEMENTING: an economical workover technique for effective production control, (Tech. Art.) JPT April, 349
SCALING: water flood: verification in heterogeneous communicating flow models, SPEJ March, 9
SCHULTZ, E. B., Jr.: *The Fuel Cell—Research Probes Vast New Market for Petroleum Products*, (Tech. Art.) JPT Feb., 125
SECONDARY RECOVERY: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Water Flooding
computer prediction of water drive of oil and gas mixtures through irregularly bounded porous media, three-phase flow, JPT Sept., 1048
how to determine market value of reserves, (Tech. Art.) JPT Aug., 829
review of corrosion and cathodic-protection principles from an electro-chemical point-of-view, (Tech. Art.) JPT Sept., 967
statistical reservoir-zonation technique, JPT Aug., 889; discussion, Dec., 1394
SEELIGSON ZONE 20B-07 FIELD: *See* Texas
SHELDON, J. W. and FAYERS, F. J.: *The Motion of an Interface Between Two Fluids In a Slightly Dipping Porous Medium*, SPEJ Sept., 275
SHEPLER, J. C.: *Automation and Data Processing Reduce Operating Costs in 12,000-Acre Field*, (Tech. Art.) JPT April, 377
SHERROD, G. E.: *Factors Beyond the Engineering Evaluation that Affect Fair-Market Values*, (Tech. Art.) JPT Dec., 1307
SIBLEY, W. P. and DOEPEL, G. W.: *Miscible Displacement—A Multilayer Technique for Predicting Reservoir Performance*, JPT Jan., 73
SINGH, M. M. and HARTMAN, H. L.: *Interpretation of Transient Strain Pulses Recorded in Rock Under Impact of a Chisel-Shaped Bit*, SPEJ Sept., 283
SLACK, H. A. and HORN, M. K.: *COMLOG—A Comprehensive Computer System for Log Interpretation*, (Tech. Art.) JPT Oct., 1109
SLAGLE, K. A.: *Rheological Design of Cementing Operations*, JPT March, 323
SLUG PROCESS: *See* Miscible Displacement
SMITH, D. D., et al: *Calculated Temperature Behavior of Hot-Water Injection Wells*, JPT April, 436
SMITH, J. M., et al: *Heat Transfer in Porous Rocks Through Which Single-Phase Fluids Are Flowing*, SPEJ Sept., 290
SOCIETY OF PETROLEUM ENGINEERS: formation of 10 new technical committees is major step, (Tech. Art.) JPT Dec., 1345
will adopt indexing plan in 1963, (Tech. Art.) JPT Dec., 1359
SOIL: cohesionless: ultimate resistance against a rigid cylinder moving laterally, SPEJ Dec., 355
SOLUTION-GAS DRIVE: correlations of gas-oil ratio history, (Tech. Art.) JPT June, 595
SOLVENT FLOODING: numerical caluculation of multidimensional miscible displacement, SPEJ Dec., 327
oil recovery by solvents mutually soluble in oil and water, SPEJ June, 129; discussion, 142
SONIC LOGGING: *See* Acoustic Velocity Logging
SP LOG: streaming potential of muds containing starch, JPT March, 329
SQUEEZE CEMENTING: field results of operations using slurries containing fluid-loss additive for cement, (Tech. Art.) JPT May, 477
SQUIER, D. P., et al: *Calculated Temperature Behavior of Hot-Water Injection Wells*, JPT April, 436
STABILITY THEORY: nonlinear theory for frontal stability and viscous fingering in porous media, SPEJ June, 165
STAHL, C. D.: *What Type of Problems Will Petroleum Engineers Face?* (Tech. Art.) JPT May, 460
STAHL, C. D., et al: *A Study of Gravity Counterflow Segregation*, SPEJ June, 185
STATISTICAL DECISION THEORY: Bayesian analysis, a new approach, (Tech. Art.) JPT June, 603
STEGEMEIER, G. L., et al: *Interfacial Tension of the Methane-Normal Decane* System, SPEJ Sept., 257
STEINER, C. A., et al: *Scab Cementing—An Economical Workover Technique For Effective Production Control*, (Tech Art.) JPT April 349
STELL, L. D. and HOLMES, E. F.: *Digital Data Processing of Oilfield Production Data*, (Tech. Art.) JPT Nov., 1191
STICK, J. C., JR., et al: *A Review of Current Techniques in Gamma-Ray and Neutron Log Interpretation*, (Tech. Art.) JPT March, 233
STORAGE: underground, natural gas: evaluation of conditions in gas reservoirs with aquifers through investigations of groundwater hydrology, JPT May, 555

gas and water permeability data for some common oil-well cements, (Tech. Art.) JPT Aug., 851
method for computing pressure behavior and volume of gas reservoirs, JPT May, 544

STRATIFICATION: See Permeability: stratified

STREAMING POTENTIAL: field experiment, JPT March, 305; discussions, 312 and 314
muds containing starch, JPT March, 329

STRESSES: around wellbore due to internal pressure and unequal principal geostatic stresses, SPEJ June, 145
thermal: around a wellbore and their effect on velocity logging, SPEJ Dec., 303

STRICKLER, W. R., et al: *Effect of Vertical Fractures on Reservoir Behavior—Compressible-Fluid Case*, SPEJ June, 87

STROUD, S. G. and FULLER, C. A.: *New Electromagnetic Inspection Device Permits Improved Casing Corrosion Evaluation*, (Tech. Art.) JPT March, 257

SUPPLY AND DEMAND: investment outlook for oil stocks—a panel discussion, Tech. Art.) JPT Dec., 1299

SWAN, C. R. and RILEY, E. A.: *Contained Injection Pattern and High Pumping Rates Solve Permeability Problems in a North Texas Caddo Conglomerate Water Flood*, (Tech. Art.) JPT Oct., 1104

SWIFT, G. W. and KIEL, O. G.: *The Prediction of Gas-Well Performance Including the Effect of Non-Darcy Flow*, JPT July, 791

SWIFT, G., et al: *A Review of Current Techniques in Gamma-Ray and Neutron Log Interpretation*, (Tech. Art.) JPT March, 233

SYMONDS, E.: *The Investment Outlook for Oil Stocks—A Panel Discussion: Supply and Demand Balance—What It Means for Earnings*, (Tech. Art.) JPT Dec., 1299

SYSTEMS ENGINEERING: some perspectives of, (Tech. Art.) JPT Feb., 129

T

TABER, J. J., et al: *Discussion on Oil Recovery by Solvents Mutually Soluble in Oil and Water*, SPEJ June, 142

TAYLOR, T. D., et al: *Computer Program for Calculation of Transient Flow of Gas in Long Pipelines*, SPEJ Dec., 297

TECHNICAL COMMITTEES: formation of 10 new ones is major step for SPE, (Tech. Art.) Dec., 1345

TECHNICAL OBSOLESCENCE: preventing in petroleum engineers and scientists, (Tech. Art.) JPT Sept., 931

TEK, M. R. and KATZ, M. L.: *A Theoretical Study of Pressure Distribution and Fluid Flux in Bounded Stratified Porous Systems with Crossflow*, SPEJ March, 68

TEK, M. R., et al: *The Effect of Turbulence on Flow of Natural Gas Through Porous Reservoirs*, JPT July, 799

TELEMETERING: in digital data processing of oilfield production data, (Tech. Art.) JPT Nov., 1191

TEMPERATURE: calculated behavior of hot-water injection wells, JPT April, 436
effect on clay minerals in aqueous suspension, SPEJ Sept., 216
fields for underground storage tanks, SPEJ March, 28
formation: calculation of disturbances caused by mud circulation, JPT April, 416
profiles in underground combustion, SPEJ March, 21

TEMPLETON, E. E., et al: *A Study of Gravity Counterflow Segregation*, SPEJ June, 185

TESTERMAN, J. D.: *A Statistical Reservoir-Zonation Technique*, JPT Aug., 889; discussion, Dec. 1394

TESTING: flood-pot: study of core-analyses data from flooded-out oil sands, (Tech. Art.) JPT Feb., 114
formation: a rapid and economical method, (Tech. Art.) JPT Sept., 957
recent developments in interpretation and application of DST data, (Tech. Art.) JPT Nov., 1213; discussion, 1222
gas reservoir samples, (Tech. Art.) JPT March, 266
oil reservoir samples, (Tech. Art.) JPT Jan., 12
reservoir limit on gas wells, (Tech. Art.) JPT June, 613

TEXAS: East Texas field: thirty years of proration, (Tech. Art.) JPT June, 577
Howard Glasscock field: results of field test to determine type and orientation of hydraulically induced formation fracture, (Tech. Art.) JPT May, 463
KMA field: production performance of Fassett and Tuttle area cooperative water flood, (Tech. Art.) JPT Aug., 839
North Markham-North Bay City field: evaluation of valve port size, surface chokes and fluid fall-back in intermittent gas-lift installations, JPT March, 315
Panhandle field: early results show wide range of recoveries in two water floods, (Tech. Art.) JPT Dec., 1323
Rusmag-Zaza field: contained injection pattern and high pumping rates solve permeability problems in Caddo conglomerate water flood, (Tech. Art.) Oct., 1104
Sacatosa field: automation and data processing reduce operating costs, (Tech. Art.) JPT April, 377
Seeligson Zone 20B-07 field: late developments in the enriched-gas-drive project, (Tech. Art.) March, 261

THERMAL PROPERTIES: porous rocks through which single-phase fluids are flowing, SPEJ Sept., 290
underground storage tanks, SPEJ March, 28

THERMAL RECOVERY OF OIL: calculated temperature behavior of hot-water injection wells, JPT April, 436
cementing compositions for wells, (Tech. Art.) JPT Feb., 139
factors affecting fuel availability and composition, JPT Oct., 1154; discussion, 1163
results from a multi-well test in Southeastern Kansas, JPT June, 671
temperature profiles in underground combustion, SPEJ March, 21
underground combustion in Shannon Pool, Wyoming, JPT Feb., 197
wellbore heat transmission, JPT April, 427

THODOS, G. and GRIEVES, R. B.: *The Critical Temperatures and Critical Pressures of Binary Mixtures of the Fixed Gases and Aliphatic Hydrocarbons*, SPEJ Sept., 197

THODOS, G. and PHILLIPS, E. M.: *The PVT-Behavior of Ethane in the Gaseous and Liquid States*, SPEJ June, 83

TIMMONS, J. P., et al: *Automatic Computation of Dipmeter Logs Digitally Recorded on Magnetic Tapes*, JPT July, 771

TIXIER, M. P.: *Modern Log Analysis*, (Tech. Art.) JPT Dec., 1327

TRANSIENT FLOW: gas in long pipelines: computer program for calculation, SPEJ Dec., 297
radial: approximate method for, SPEJ Sept., 225

TRACERS: nuclear survey: applications of subsurface solid-state isotope injector, (Tech. Art.) JPT Feb., 121
water flood, experimental study of, JPT Jan., 87

TRAINING: is engineering being influenced adversely by professional educators? (Tech. Art.) JPT March, 242
research: role of university, (Tech. Art.) JPT Aug., 855

TRANSIENTS: effect of flow-after-flow anid isochronal tests, JPT July, 791

TUBING: packer sealed: helical buckling of, JPT June, 655
well: laboratory study of paraffin deposition, JPT Nov., 1259

TUMAN, V. S.: *Thermal Stresses Around A Wellbore and Their Small Effect on Velocity Logging*, SPEJ Dec., 303

U

UNDERGROUND COMBUSTION: *See* Thermal Recovery of Oil

UNDERGROUND STORAGE: natural gas: evaluation of conditions in aquifers through investigations of groundwater hydrology, JPT May, 555
gas and water permeability data for some common oil-well cement, (Tech. Art.) JPT Aug., 851
method of computing pressure behavior and volume of reservoirs, JPT May, 544
saturation distribution and injection pressure for a radial reservoir, JPT Dec., 1389
tanks: heat transfer rates and temperature fields, SPEJ March, 28

UNDERSATURATED RESERVOIR: crude: twenty-three years of gas injection into, (Tech. Art.) JPT April, 361
UNIVERSITY: role in reasearch and research training, (Tech. Art.) JPT Aug., 855

V

VALUATIONS: *See also* Evaluation
Bayesian analysis, a new approach to statistical decision-making, (Tech. Art.) JPT June, 603
how to determine market value of secondary reserves, (Tech. Art.) JPT Aug., 829
oil and gas properties, what are petroleum reserves? (Tech. Art.) JPT July, 719; discussions, 723 and 724
philosophy behind trading oil properties (Tech. Art.) JPT July, 727
production model in a petroleum industry management game, (Tech. Art.) JPT Sept., 939
VAN DER POEL, C.: *Effect of Lateral Diffusivity on Miscible Displacement in Horizontal Reservoirs*, SPEJ Dec., 317
VAN LINGEN, N. H.: *Bottom Scavenging—A Major Factor Governing Penetration Rates at Depth*, JPT Feb., 187
VAN POOLLEN, H. K.: *Discussion on Recent Developments in the Interpretation and Application of DST Data*, (Tech. Art.) JPT Nov., 1222
VELOCITY: critical impact: fractures produced in plexiglas rods simulating drill bits, SPEJ Sept., 203
VENEZUELA: Lake Maracaibo: unique marine craft moves rigs with speed and economy, (Tech. Art.) JPT March, 228
Oveja field: adverse effects of water injection into thick sand reservoirs containing thin, highly permeable lenses, (Tech. Art.) JPT March, 253
VERSEMAN, C. S.: *Automatic Data Readout Cuts Equipment and Labor Costs in Oklahoma Waterflood Project*, (Tech. Art.) JPT May, 473
VIAVANT, W.: *The Production Model in a Petroleum Industry Management Game*, (Tech. Art.) JPT Sept. 939
VINCENT, R. P. and JENNINGS, E. R.: *Stressed Steel Liner Yields Stronger Casing Repairs*, (Tech. Art.) JPT Dec., 1337
VIRGINIA HILLS FIELD: *See* Canada

W

WADE, R. T., et al: *Field Tests Indicate New Perforating Devices Improve Efficiency in Casing Completion Operations*, (Tech. Art.) JPT Oct., 1069
WAGNER, O. R., et al: *A Laboratory and Field Study of Wettability Adjustment in Water Flooding*, JPT Feb., 206
WAHL, W. L., et al: *Matching the Performance of Saudi Arabian Oil Fields With an Electrical Model*, JPT Nov., 1275
WAHL, W. W. and PAVLICH, J. P.: *Field Results of Cementing Operations Using Slurries Containing a Fluid-Loss Additive for Cement*, (Tech. Art.) JPT May, 477
WALKER, W. A.: *Cementing Compositions for Thermal Recovery Wells*, (Tech. Art.) JPT Feb., 139
WALLICK, G. C. et al: *The Differentiation Method in Rheology: II. Characteristic Derivatives of Ideal Models in Poiseuille Flow*, SPEJ Dec., 309
The Differentiation Method in Rheology: I. Poiseuille-Type Flow, SPEJ, Sept., 211
WARREN, J. A.: *BS&W Measurement—Principles and Practices*, (Tech. Art.) JPT Nov. 1207
WARREN, J. E.: *Discussion on A Statistical Reservoir-Zonation Technique*, JPT Dec., 1394
WARREN, J. E. and COATS, K. H.: *Discussion on A Mathematical Model for Water Movement about Bottom-Water-Drive Reservoirs*, SPEJ Dec., 367
WATER: in crude oil: principles and practices of measurement, (Tech. Art.) JPT Nov., 1207
WATER CONING: horizontal barriers for controlling, JPT July, 783
WATER DRIVE: imbibition oil recovery from fractured reservoir, SPEJ June, 177
material-balance calculations for undersaturated reservoir with unusual geometry, (Tech. Art.) JPT Jan., 37
oil and gas mixtures: computer prediction, irregularly bounded porous media, three-phase flow, JPT Sept., 1048
WATER FLOODING: adverse effects of injection into thick sand reservoirs containing thin, highly permeable lenses, (Tech. Art.) JPT March, 253
automatic data readout cuts equipment and labor costs in Oklahoma project, (Tech. Art.) JPT May, 473
Caddo conglomerate: contained injection pattern and high pumping rates solve permeability problems in North Texas, (Tech. Art.) JPT Oct., 1104
computer method to calculate two-phase flow in any irregularly bounded porous medium, JPT June, 679
downstructure displacement in presence of gas cap, JPT Dec., 1383
effect of fluid properties and stage of depletion on oil recovery, JPT Oct., 1165
effect of off-pattern wells on the performance of a five-spot, JPT Feb., 173
experimental study of tracers, JPT Jan., 87
laboratory and field study of wettability adjustment, JPT Feb., 206
Loco Hills field, New Mexico: successful pilot predicts bright future, (Tech. Art.) JPT Nov., 1223
production performance of Fassett and Tuttle area, KMA field, Texas, (Tech. Art.) JPT Aug., 839
Texas Panhandle: early results show wide range of recoveries, (Tech. Art.) JPT Dec., 1323
use of viscous slug to improve efficiency in reservoir partially invaded by bottom water, JPT Oct., 1147
verification of scaling in heterogeneous communicating flow models, SPEJ March, 9
WATER INFLUX: material balance calculations in presence of uncertainty in pressure, SPEJ June, 120
WATER INJECTION: analysis for predicting performance of cone-shaped reservoirs, JPT Aug., 894
WAXMAN, M. H., et al: *A Field Streaming-Potential Experiment*, JPT March, 305; discussions, 312 and 314
WELGE, H. J., et al: *An Analysis for Predicting the Performance of Cone-Shaped Reservoirs Receiving Gas or Water Injection*, JPT Aug., 894
WELLBORE MECHANICS: thermal stresses and their effect on velocity logging, SPEJ Dec., 303
WELL COMPLETION: *See also* Well Stimulation
cementing compositions for thermal recovery wells, (Tech. Art.) JPT Feb., 139
efficiency in casing operations, field tests indicate new perforating devices improve, (Tech. Art.) JPT Oct., 1069
field performance: of cementing operations using slurries containing fluid-loss additive for cement, (Tech. Art.) JPT May, 477
of double-wall multicell liner, (Tech. Art.) JPT May, 483
helical buckling of tubing sealed in packers, JPT June, 655
new tool permits simultaneous production of two reservoirs through same flow string, (Tech. Art.) JPT Oct., 1079
rheological design of cementing operations, JPT March, 323
WELL LOGGING: applications of subsurface solid-state isotope injector to nuclear-tracer survey methods, (Tech. Art.) JPT Feb., 121
automatic computation of dipmeter logs digitally recorded on magnetic tapes, JPT July, 771
COMLOG: a comprehensive computer system for log interpretation, (Tech. Art.) JPT Oct., 1109
field streaming-potential experiment, JPT March, 305: discussions, 312 and 314
method of analyzing electrical logs recorded on logarithmic scale, (Tech. Art.) JPT Aug., 844
modern log and analysis, (Tech. Art.) JPT Dec., 1327
preliminary study of factors influencing cement bond logs, (Tech. Art.) JPT April, 369

review of current techniques in gamma-ray and neutron log interpretation, (Tech. Art.) JPT March, 233
streaming potential of muds containing starch, JPT March, 329
thermal stresses around a wellbore and their effect on velocity logging, SPEJ Dec., 303

WELL LOGS: evaluation of water-oil displacement efficiency, (Tech. Art.) JPT Jan., 17
new electromagnetic inspection device permits improved casing corrosion evaluation, (Tech. Art.) JPT March, 257

WELL PATTERN: contained: and high pumping rates solve permeability problems in North Texas Caddo conglomerate water flood, (Tech. Art.) JPT Oct., 1104
five-spot: effect of off-pattern wells on the performance of a water flood, JPT Feb., 173

WELL PERFORMANCE: calculated temperature behavior of hot-water injection wells, JPT April, 436
wellbore heat transmission, JPT April, 427

WELL SPACING: irregular: effect on performance of a five-spot water flood, JPT Feb., 173

WELL STIMULATION: effective radius of a vertically fractured well producing a compressible fluid, SPEJ June, 87
results of field test to determine type and orientation of hydraulically induced formation fracture, (Tech. Art.) JPT May, 463

WELL WORKOVER: scab cementing—an economical technique for effective production control, (Tech. Art.) JPT April, 349

WEST HARRISBURG UNIT: *See* Nebraska

WETTABILITY: adjustment in water flooding, a laboratory and field study, JPT Feb., 206

WIELAND, D. R., et al: *The Effect of Flow on Acid Reactivity in a Carbonate Fracture*, JPT April, 409

WILHOIT, J. C., JR. and GALLE, E. M.: *Stresses Around a Wellbore Due to Internal Pressure and Unequal Principal Geostatic Stresses*, SPEJ June, 145

WILLIAMS, C. D., et al: *Calculation of Formation Temperature Disturbances Caused by Mud Circulation*, JPT April, 416

WILSON, J. F.: *Water Flooding—Down-Structure Displacement In the Presence of a Gas Cap*, JPT Dec., 1383

WILSON, W. W.: *Discussion on What Are Petroleum Reserves?*, (Tech. Art.) JPT July, 723

WILSON, W. W. and PEARSON, A. J.: *How to Determine the Market Value of Secondary Recovery Reserves*, (Tech. Art.) JPT Aug., 829

WINN, R. H., et al: *A Preliminary Study of Factors Influencing Cement Bond Logs*, (Tech. Art.) JPT April, 369

WIRELINE TESTER: theoretical analysis of pressure phenomena associated with, JPT Aug., 899

WIRELINE TOOL: permits simultaneous production of two reservoirs through same flow string, (Tech. Art.) JPT Oct., 1079

WITHERSPOON, P. A., et al: *Evaluation of Underground Gas-Storage Conditions In Aquifers Through Investigations of Groundwater Hydrology*, JPT May, 555

WOLF, J. W., JR., et al: *Effect of Overburden Pressure on Flow Capacity in A Deep Oil Reservoir*, (Tech. Art.) JPT Sept., 962

WOOD, H. W., et al: *A Laboratory and Field Study of Wettability Adjustment in Water Flooding*, JPT Feb., 206
Underground Combustion in the Shannon Pool, Wyoming, JPT Feb., 197

WOOD, N. E., et al: *Computer Program for Calculation of Transient Flow of Gas in Long Pipelines*, SPEJ Dec., 297

WOODS, E. G. and COMER, A. G.: *Saturation Distribution and Injection Pressure for a Radial Gas-Storage Reservoir*, JPT Dec., 1389

WYGAL, R. J., et al: *Imbibition Relative Permeability in Unconsolidated Porous Media*, SPEJ March, 13

WYLLIE, M. R. J.: *Discussion on A Field Streaming-Potential Experiment*, JPT March, 312
Reservoir Mechanics—Stylized Myth or Potential Science?, (Tech. Art.) JPT June, 583

WYOMING: Big Piney Mesaverde reservoir: fluid distribution and reservoir characteristics, (Tech. Art.) JPT June, 608
Salt Creek field: underground combustion in the Shannon Pool, JPT Feb., 197

Z

ZABA, J.: *Trends in LACT Equipment Design and Application*, (Tech. Art.) JPT Nov., 1183

ZINKHAM, R. E. and GOODWIN, R. J.: *Burst Resistance of Pipe Cemented Into the Earth*, JPT Sept., 1033

ZONATION: statistical reservoir technique, JPT Aug., 889; discussion, Dec., 1394

ZURAWSKY, L. G., et al: *Material-Balance Analysis of a Water-Drive Reservoir with An Unusual Development History*, (Tech. Art.) JPT Jan., 37

CHANGE OF ADDRESS

AIME should be advised as soon as possible of any change in your address, preferably a month before the change becomes effective. The form below is provided for your convenience for correcting your directory listing or anticipated change in address. It should be sent to AIME, 345 East 47th St., New York 17, N. Y.

Name_____

Membership No._____

New Address for Publications_____

Your Company Title or Position_____

Company Name_____

Company Address_____

One month normally required for change of address.